

2021-2022

CLEVELAND GOLF

CUSTOM CATALOG

TABLE OF CONTENTS

Wedge Specific	PAGE 2
Irons & Wedges	PAGE 3
Woods	PAGE 7
Hybrids	PAGE 12
GRIPS	PAGE 15

WEDGE - STOCK SHAFTS

ZipCore, CBX 2, and Smart Sole 4 Wedges

RTX ZIPCORE/RTX FULL-FACE		Flex	Weight (grams)	TIP OD	BUTT OD	Trajectory	Availability
True Temper	Dynamic Gold Tour Issue Spinner	Wedge	128	0.355	0.600	Low	Stock
CBX 2/SS4/CBX FULL-FACE		Flex	Weight (grams)	TIP OD	BUTT OD	Trajectory	Availability
True Temper	Dynamic Gold 115	Wedge	115	0.355	0.600	Mid-Low	Stock
UST	Rotex Graphite	Wedge	90	0.355	0.600	Mid	Stock
Cleveland Golf	Women's CBX2	L	59	0.355	0.590	High	Stock

WEDGE - AT ONCE CUSTOM SHAFTS

ZipCore, CBX 2, and Smart Sole 4 Wedges

		Flex	Weight (grams)	TIP OD	BUTT OD	Trajectory	Availability
Nippon	NS Pro Modus3 Wdg 105	Wedge	111	0.355	0.600	Mid	At Once
	NS Pro Modus3 Wdg 115	Wedge	122	0.355	0.600	Mid	At Once
	NS Pro Modus3 Wdg 125	Wedge	133	0.355	0.600	Mid	At Once

KBS	Hi Rev 2.0	R	115	0.355	0.600	Mid	At Once
	Hi Rev 2.0	S	125	0.355	0.600	Mid	At Once
	610	R	110	0.355	0.610	Low-Mid	At Once
	610	S	120	0.355	0.610	Low-Mid	At Once
	610	S+	125	0.355	0.610	Low-Mid	At Once
	Tour	S	120	0.355	0.600	Mid	At Once
	Tour	X	130	0.355	0.600	Mid	At Once
	Tour Custom White	S	120	0.355	0.600	Mid	At Once
Tour Custom Black	S	120	0.355	0.600	Mid	At Once	

UST	Rotex Graphite	Wedge	90	0.355	0.600	Mid	At Once
	Recoil 760 SWP	A	68	0.355	0.600	Mid-High	At Once
	Recoil 760 SWP	R	70	0.355	0.600	Mid-High	At Once
	Recoil 95 F3	R	96	0.355	0.600	Mid	At Once
	Recoil 95 F4	S	96	0.355	0.600	Mid	At Once
	Recoil 95 F5	X	96	0.355	0.600	Mid	At Once

True Temper	Dynamic Gold Tour Issue	S400	132	0.355	0.600	Low	At Once
	Dynamic Gold Tour Issue	X100	130	0.355	0.600	Low	At Once
	Dynamic Gold Tour Issue Onyx	S400	132	0.355	0.600	Low	At Once
	Dynamic Gold Tour Issue Onyx	X100	130	0.355	0.600	Low	At Once
	Dynamic Gold	Wedge	132	0.355	0.600	Low	At Once
	Dynamic Gold 115	S300	115	0.355	0.600	Mid-Low	At Once

WEDGE - EXOTIC CUSTOM SHAFTS

ZipCore, CBX 2, and Smart Sole 4 Wedges

		Flex	Weight (grams)	TIP OD	BUTT OD	Trajectory	Availability
KBS	Tour	R	110	0.355	0.600	Mid	Exotic - Special Order
	Tour V	Wedge	125	0.355	0.600	Low-Mid	Exotic - Special Order
UST	Recoil 110	S	111	0.355	0.600	Mid	Exotic - Special Order

*See Iron & Wedge Shafts for complete list of available customs

IRONS - STOCK SHAFTS

(All Taper Tip)

Launcher UHX and Launcher HB Turbo Iron Sets

Launcher XL Irons	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
True Temper Elevate 95	R	103	0.355	0.600	2.2	Mid-High	At Once
True Temper Elevate 95	S	104	0.355	0.600	2.2	Mid-High	At Once
Project X Cypher Ladies	L	47.5	0.362	0.599	5.2	High	At Once
Project X Catalyst	A	57	0.355	0.587	4.0	Mid	At Once
Project X Catalyst	R	62	0.355	0.595	4.0	Mid	At Once
Project X Catalyst	S	67.5	0.355	0.607	4.0	Mid	At Once
Launcher XL Halo Irons	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
True Temper XP90	R	98	0.362	0.600	2.2	Mid-High	At Once
True Temper XP90	S	98	0.362	0.600	2.2	Mid-High	At Once
Project X Cypher Ladies	L	47.5	0.362	0.599	5.2	High	At Once
Project X Cypher	A	59	0.362	0.593	3.8	High	At Once
Project X Cypher	R	61	0.362	0.594	3.7	High	At Once
Project X Cypher	S	62	0.362	0.592	3.7	High	At Once

IRONS - AT ONCE CUSTOM SHAFTS

(All Taper Tip)

Launcher XL and Launcher XL Halo Iron Sets

Aerotech	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
SteelFiber i95cw	S	95	0.355	0.600	2.0-2.4	Low-Mid	At Once
SteelFiber i70cw	A	70	0.355	0.600	2.9-3.5	Mid-High	At Once
SteelFiber i70cw	R	70	0.355	0.600	2.8-3.4	Mid-High	At Once

Nippon	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
NS Pro Modus3 Tour 105	R	103	0.355	0.600	1.9	Mid	At Once
NS Pro Modus3 Tour 105	S	106.5	0.355	0.600	1.7	Mid	At Once
NS Pro Modus3 Tour 105	X	112	0.355	0.600	1.6	Mid	At Once
NS Pro Modus3 Tour 120	S	114	0.355	0.600	1.7	Low-Mid	At Once
NS Pro Modus3 Tour 120	X	120	0.355	0.600	1.6	Low-Mid	At Once
NS 950 NEO	R	94.5	0.355	0.600	1.9	High	At Once
NS 950 NEO	S	98	0.355	0.600	1.7	High	At Once

KBS	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
C-Taper	X	130	0.355	0.600	1.8	Low	At Once
C-Taper Lite	R	105	0.355	0.600	2.3	Mid-High	At Once
C-Taper Lite	S	110	0.355	0.600	2.1	Mid-High	At Once
S Taper Chrome	S	120	0.355	0.600	2.5	Mid	At Once
S Taper Chrome	X	130	0.355	0.600	2.5	Mid	At Once
Tour 90	R	95	0.355	0.600	2.3	Mid-High	At Once
KBS MAX 55	A	55	0.355	0.600	n/a	High	At Once
KBS MAX 65	R	65	0.355	0.600	n/a	High	At Once
KBS 560 (Junior Shafts)	R	80g-89g	0.355	0.560	n/a	Mid-High	At Once
KBS 580 (Junior Shafts)	R	80g-88g	0.355	0.580	n/a	Mid-High	At Once
KBS 580 (Junior Shafts)	S	80g-89g	0.355	0.580	n/a	Mid-High	At Once

Project X	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Project X	6.0	120	0.355	0.600	1.5-1.7	Low	At Once
Project X	6.5	125	0.355	0.600	1.5-1.7	Low	At Once
Project X LZ	5.5	115	0.355	0.600	1.7-2.0	Mid	At Once
Project X LZ	6.0	120	0.355	0.600	1.6-1.9	Mid	At Once
Project X LZ	6.5	125	0.355	0.600	1.5-1.8	Mid	At Once

True Temper	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Dynamic Gold	S300	130	0.355	0.600	1.5-1.9	Low	At Once
Dynamic Gold Tour Issue	S400	132	0.355	0.600	1.5-1.9	Low	At Once
Dynamic Gold Tour Issue	X100	130	0.355	0.600	1.5-1.9	Low	At Once

UST Mamiya	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
UST Recoil 95	F3 - (R)	94	0.355	0.600	3.3	Mid	At Once
UST Recoil 95	F4 - (S)	94	0.355	0.600	3.3	Mid	At Once
UST Recoil 95	F5 - (X)	94	0.355	0.600	3.3	Mid	At Once
Recoil 760 ES SmacWrap (Ion Plated)	F3 - (R)	70	0.355	0.600	4.1	Mid-High	At Once
Recoil 780 ES SmacWrap (Ion Plated)	F4 - (S)	87	0.355	0.600	3.5	Mid-High	At Once

IRONS - EXOTIC CUSTOM SHAFTS

(All Taper Tip)

Launcher XL and Launcher XL Halo Iron Sets

*All Exotic shafts have a 2 week leadtime.

Aerotech	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
SteelFiber i70cw	S	70	0.355	0.600	2.8-3.4	Mid-High	Exotic - Special order
SteelFiber i80cw	R	85	0.355	0.600	2.5-2.9	Mid	Exotic - Special order
SteelFiber i80cw	S	85	0.355	0.600	2.5-2.9	Mid	Exotic - Special order
Steelfiber fc90cw	R	90	0.355	0.600	2.4-2.9	Progressive	Exotic - Special order
Steelfiber fc90cw	S	90	0.355	0.600	2.6-3.1	Progressive	Exotic - Special order
SteelFiber i95cw	R	95	0.355	0.600	2.1-2.5	Mid	Exotic - Special order
SteelFiber i95cw	X	95	0.355	0.600	1.8-2.3	Low-Mid	Exotic - Special order
SteelFiber i110cw	R	110	0.355	0.605	1.5-1.9	Low-Mid	Exotic - Special order
SteelFiber i110cw	S	110	0.355	0.605	1.5-1.9	Low-Mid	Exotic - Special order
SteelFiber i110cw	X	110	0.355	0.605	1.5-1.9	Low-Mid	Exotic - Special order

Nippon	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
NS Pro Modus3 125	S	128.5	0.355	0.600	1.5	Low	Exotic - Special order
NS Pro Modus3 125	X	129.5	0.355	0.600	1.4	Low	Exotic - Special order
NS Pro Modus3 130	S	124	0.355	0.600	1.5	Mid	Exotic - Special order
NS Pro Modus3 130	X	129	0.355	0.600	1.4	Mid	Exotic - Special order
NS Pro 950GH	R	94.5	0.355	0.610	1.8-2.3	Mid	Exotic - Special order
NS Pro 950GH	S	98	0.355	0.610	1.6-2.0	Mid	Exotic - Special order

KBS	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
C-Taper	S	120	0.355	0.600	1.9	Low	Exotic - Special order
C-Taper Lite	X	115	0.355	0.600	2.0	Mid-High	Exotic - Special order
S Taper Chrome	R	110	0.355	0.600	2.5	Mid	Exotic - Special order
Tour	R	110	0.355	0.600	1.9-2.1	Mid	Exotic - Special order
Tour	S	120	0.355	0.600	1.7-1.9	Mid	Exotic - Special order
Tour	X	130	0.355	0.600	1.5-1.7	Mid	Exotic - Special order
Tour 90	S	102	0.355	0.600	2.3	Mid-High	Exotic - Special order
Tour-V	R	100	0.355	0.600	2.1	Mid	Exotic - Special order
Tour-V	S	110	0.355	0.600	2.0	Mid	Exotic - Special order
Tour-V	X	120	0.355	0.600	1.9	Mid	Exotic - Special order
Tour FLT	R	110	0.355	0.600	2.0-2.1	Mid	Exotic - Special order
Tour FLT	S	120	0.355	0.600	1.8-1.9	Mid	Exotic - Special order
Tour FLT	X	130	0.355	0.600	1.6-1.7	Mid	Exotic - Special order
KBS TGI 90	S	90	0.355	0.600	n/a	Mid	Exotic - Special order
KBS TGI 95	S+	95	0.355	0.600	n/a	Mid	Exotic - Special order
KBS TGI 100	X	100	0.355	0.600	n/a	Mid	Exotic - Special order

Mitsubishi	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
MMT 65	R	63	0.355	0.593	3.5	Mid	Exotic - Special order
MMT 105	S	105	0.355	0.598	2.8	Low-Mid	Exotic - Special order

Project X	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Project X	5.0	110	0.355	0.600	1.6-1.8	Low	Exotic - Special order
Project X	5.5	115	0.355	0.600	1.6-1.8	Low	Exotic - Special order
Project X	7.0	130	0.355	0.600	1.4-1.6	Low	Exotic - Special order
Project X LS	6.0	120	0.355	0.600	N/A	Low	Exotic - Special order
Project X LS	6.5	125	0.355	0.600	N/A	Low	Exotic - Special order

True Temper	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Dynamic Gold	R300	127	0.355	0.600	1.7-2.0	Low	Exotic - Special order
True Temper AMT Tour White	S300	106-130	0.355	0.600	1.6-2.2	Low	Exotic - Special order
True Temper AMT Tour White	X100	106-130	0.355	0.600	1.5-2.0	Low	Exotic - Special order
Dynamic Gold 105	R300	101	0.355	0.600	1.9-2.2	Low-Mid	Exotic - Special order
Dynamic Gold 105	S300	103	0.355	0.600	1.8-2.1	Low-Mid	Exotic - Special order
Dynamic Gold 120	R300	116	0.355	0.600	1.8-2.1	Low	Exotic - Special order
Dynamic Gold 120	S300	118	0.355	0.600	1.7-2.0	Low	Exotic - Special order
Dynamic Gold 120	X100	120	0.355	0.600	1.6-1.9	Low	Exotic - Special order
True Temper AMT Black	R300	94-115	0.355	0.600	1.9-2.3	Mid/High	Exotic - Special order
True Temper AMT Black	S300	95-116	0.355	0.600	1.7-2.1	Mid/High	Exotic - Special order

IRONS

		SPIN				
		LOW	LOW-MID	MID	MID-HIGH	HIGH
LAUNCH	HIGH					Nippon NS 950 NEO True Temper Elevate 95 KBS MAX 65 Project X Cypher
	MID-HIGH			KBS C Taper Lite	Recoil 760 ES SmacWrap SteelFiber i70 R True Temper Elevate 95 True Temper XP90	
	MID		KBS \$ Taper Chrome	NS Pro Modus3 105 Project X LZ UST Recoil 95 Project X Catalyst 60	KBS Tour 90	
	LOW-MID		Project X	Steel Fiber i95 NS Pro Modus3 120		
	LOW	Dynamic Gold Dynamic Gold Tour Issue KBS C-Taper				

NOTES: BECAUSE EVERY PLAYER LOADS AND RELEASES SHAFTS DIFFERENTLY, THE ABOVE CHART IS A RELATIVE (NOT ABSOLUTE) MEASURE OF HOW EACH SHAFT PERFORMS, AND HOW THEY PERFORM RELATIVE TO EACH OTHER

Red = Stock Shaft

IRONS - CUSTOM SPECIFICATIONS

Accuracy Build Custom Options - Requires Stock Shaft and Grip

Model	Length	8g grip weight*	Grip Size Options	Other Grip Wraps	Lie Angle	Loft Bending	Shaft Stepping*
Launcher XL Irons	-0.5"	Not Available	<ul style="list-style-type: none"> +1/64" (+1 Wrap) +1/32" (+2 Wraps) + 3 Wraps In Box 3 Extra Lower Wraps Standard 	<ul style="list-style-type: none"> STANDARD Grip Upside Down 1 Extra Lower Wrap 2 Extra Lower Wraps 3 Extra Lower Wraps 	<ul style="list-style-type: none"> 3° Flat 2° Flat 1° Flat Std 1° Upright 2° Upright 3° Upright 	<ul style="list-style-type: none"> 2° Strong 1° Strong Std 1° Weak 2° Weak 	Not Available
Launcher XL HALO Irons							

*Accuracy Build is specifically engineered to improve control, so stock shaft and grip must be ordered. Length is predetermined, and 8g grip weight and shaft stepping are not available. Grip wraps can be customized. If other modifications are requested, see options below.

Custom Build Options - with Stock Shaft and Grip

Model	Length*	8g Grip Weight*	Length	8g Grip Weight	Grip Size Options	Other Grip Wraps	Lie Angle	Loft Bending	Shaft Stepping
			<i>*Underlength (-1" to -0.5")</i>						
			<i>Standard & Overlength (-0.25" to +1")</i>						
Launcher XL Irons	-1", -0.75", -0.5"	Not Available	-0.25", Std, +0.25", +0.5", +0.75", +1"	Included, with option to exclude	<ul style="list-style-type: none"> +1/64" (+1 Wrap) +1/32" (+2 Wraps) +3 Wraps In Box 3 Extra Lower Wraps Standard 	<ul style="list-style-type: none"> STANDARD Grip Upside Down 1 Extra Lower Wrap 2 Extra Lower Wraps 3 Extra Lower Wraps 	<ul style="list-style-type: none"> 3° Flat 2° Flat 1° Flat Std 1° Upright 2° Upright 3° Upright 	<ul style="list-style-type: none"> 2° Strong 1° Strong Std 1° Weak 2° Weak 	<ul style="list-style-type: none"> Strong Step Soft Step
Launcher XL Halo Irons									

*As a default, 8g grip weight is excluded from shorter builds to prevent swing weight from being too low.

Custom Build Option - with **NON** Stock Shaft or Grip

Model	Length	8g Grip Weight*	Grip Size Options	Other Grip Wraps	Lie Angle	Loft Bending	Shaft Stepping
Launcher XL Irons	+/- 1", increments of 0.25"	Not Available	<ul style="list-style-type: none"> +1/64" (+1 Wrap) +1/32" (+2 Wraps) +3 Wraps In Box 3 Extra Lower Wrap Standard 	<ul style="list-style-type: none"> STANDARD Grip Upside Down 1 Extra Lower Wrap 2 Extra Lower Wraps 3 Extra Lower Wraps 	<ul style="list-style-type: none"> 3° Flat 2° Flat 1° Flat Std 1° Upright 2° Upright 3° Upright 	<ul style="list-style-type: none"> 2° Strong 1° Strong Std 1° Weak 2° Weak 	<ul style="list-style-type: none"> Strong Step Soft Step
Launcher XL Halo Irons							

*For fit and quality reasons, 8g grip weight is only offered with stock components

Any of the four stock irons shafts can be substituted into either iron model and follow the rules above. However, please note that the stock lengths of Launcher XL HALO irons are 0.25" longer than Launcher XL irons and the fitting cart shaft lengths are designed accordingly. So, the men's default custom club length specs by shaft are as follows for both Launcher XL and Launcher XL HALO Irons:

Men's	4	5	6	7	8	9	PW	DW/SW*
XP 90, Cypher	39.125"	38.5"	37.875"	37.25"	36.75"	36.25"	36"	35.75"
All other shafts	38.875"	38.25"	37.625"	37"	36.5"	36"	35.75"	35.5"

*Sand Wedge only available in Launcher XL HALO Irons.

WOODS - STOCK SHAFTS

Launcher XL Woods

CG Launcher XL Driver	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Project X Cypher Fifty	A	52	0.335	0.600	5.2	Mid-High	At Once
Project X Cypher Fifty	R	54	0.335	0.600	5.1	Mid-High	At Once
Project X Cypher Fifty	S	56	0.335	0.600	5.1	Mid-High	At Once
CG Launcher XL Lite Driver	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Project X Cypher Forty	L	50.5	0.335	0.600	8.3	High	At Once
Project X Cypher Forty	A	48	0.335	0.600	6.6	High	At Once
Project X Cypher Forty	R	48	0.335	0.600	6.2	High	At Once
Project X Cypher Forty	S	50	0.335	0.600	5.9	High	At Once
CG Launcher XL Halo Fairway	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Project X Cypher Fifty-Five	L	50.5	0.335	0.600	7.5	Mid-High	At Once
Project X Cypher Fifty-Five	A	54	0.335	0.600	5.7	Mid-High	At Once
Project X Cypher Fifty-Five	R	54	0.335	0.600	5.5	Mid-High	At Once
Project X Cypher Fifty-Five	S	60	0.335	0.592	5.5	Mid-High	At Once

WOODS - AT ONCE CUSTOM SHAFTS

Launcher XL Woods

Mitsubishi	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Bassara E42	A	43	0.335	0.602	6.8	High	At Once
Bassara E42	R	44	0.335	0.604	6.7	High	At Once
Tensei CK Red 50	R	55	0.335	0.608	6.0	Mid-High	At Once
Tensei CK Red 50	S	55	0.335	0.612	5.9	Mid-High	At Once
Tensei CK Blue 50	R	54	0.335	0.602	5.6	Mid	At Once
Tensei CK Blue 50	S	57	0.335	0.606	5.5	Mid	At Once
Tensei CK Blue 60	S	67	0.335	0.614	4.5	Mid	At Once
Tensei CK Blue 60	X	70	0.335	0.618	4.4	Mid	At Once
Tensei CK Blue 70	X	78	0.335	0.642	3.9	Mid	At Once
Tensei CK White 60	S	67	0.335	0.614	4.4	Low-Mid	At Once
Tensei CK White 60	X	69	0.335	0.617	4.4	Low-Mid	At Once
Tensei CK White 70	S	76	0.335	0.637	4.1	Low-Mid	At Once
Tensei CK White 70	X	80	0.335	0.641	4.0	Low-Mid	At Once

Project X	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
EvenFlow Riptide CB 40	5.0	45	0.335	0.600	5.3	Mid-High	At Once
Evenflow Riptide 50	5.5	53	0.335	0.640	5.4	Mid	At Once
Evenflow Riptide 50	6.0	53	0.335	0.640	5.4	Mid	At Once
Evenflow Riptide 60	6.0	63	0.335	0.640	4.4	Mid	At Once
Evenflow Riptide 60	6.5	64	0.335	0.640	4.4	Mid	At Once
HZRDUS Smoke Yellow 60	6.0	64	0.335	0.600	3.5	Low	At Once
HZRDUS Smoke Yellow 60	6.5	64	0.335	0.600	3.5	Low	At Once
HZRDUS Smoke Yellow 70	6.0	75	0.335	0.600	3.3	Low	At Once
HZRDUS Smoke Yellow 70	6.5	75	0.335	0.600	3.3	Low	At Once
HZRDUS Smoke Black 60	5.5	59	0.335	0.600	4.0	Low	At Once
HZRDUS Smoke Black 60	6.0	59	0.335	0.600	3.5	Low	At Once
HZRDUS Smoke Black 60	6.5	61	0.335	0.600	3.5	Low	At Once

UST Mamiya	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
UST Mamiya Helium Black 4	F2 - (A)	54	0.335	0.592	6.2	High	At Once
UST Mamiya Helium Black 5	F3 - (R)	58	0.335	0.600	5.5	High	At Once
UST Mamiya Helium Black 5	F4 - (S)	59	0.335	0.600	5.4	High	At Once

WOODS - EXOTIC CUSTOM SHAFTS

Launcher XL Woods

*All Exotic shafts have a 2 week leadtime.

Aldila	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Rogue White MSI 130 60	S	66	0.335	0.607	4.2	Low-Mid	Exotic - Special order
Rogue White MSI 130 60	X	68	0.355	0.611	3.5	Low-Mid	Exotic - Special order
Rogue MSI 130 Black 50	TR	56	0.335	0.604	5.2	Mid	Exotic - Special order
Rogue MSI 130 Black 50	TS	58	0.335	0.606	5.1	Mid	Exotic - Special order
Rogue MSI 130 Black 60	TS	63	0.335	0.618	4.4	Mid	Exotic - Special order
Rogue MSI 130 Black 60	TX	65	0.335	0.657	4.0	Mid	Exotic - Special order

Fujikura	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Ventus Red w/Velocore 5	S	59	0.335	0.600	3.5	Mid-High	Exotic - Special order
Ventus Red w/Velocore 6	R	64.5	0.335	0.605	3.4	Mid-High	Exotic - Special order
Ventus Red w/Velocore 6	S	65	0.335	0.610	3.2	Mid-High	Exotic - Special order
Ventus Red w/Velocore 6	X	66	0.335	0.610	3.1	Mid-High	Exotic - Special order
Ventus Blue w/Velocore 5	R	58.5	0.335	0.610	3.7	Mid	Exotic - Special order
Ventus Blue w/Velocore 5	S	59	0.335	0.610	3.3	Mid	Exotic - Special order
Ventus Blue w/Velocore 6	R	65	0.335	0.605	3.5	Mid	Exotic - Special order
Ventus Blue w/Velocore 6	S	65	0.335	0.605	3.1	Mid	Exotic - Special order
Ventus Blue w/Velocore 6	X	65	0.335	0.605	3.1	Mid	Exotic - Special order
Ventus Blue w/Velocore 7	S	76	0.335	0.605	3.0	Mid	Exotic - Special order
Ventus Blue w/Velocore 7	X	77.5	0.335	0.610	2.9	Mid	Exotic - Special order
Ventus Black w/Velocore 6	S	64	0.335	0.605	3.4	Low	Exotic - Special order
Ventus Black w/Velocore 6	X	65	0.335	0.605	3.1	Low	Exotic - Special order
Ventus Black w/Velocore 7	S	77	0.335	0.605	3.1	Low	Exotic - Special order
Ventus Black w/Velocore 7	X	78	0.335	0.605	2.8	Low	Exotic - Special order
Speeder Evolution VI 569	R	53	0.335	0.590	4.9	Low-Mid	Exotic - Special order
Speeder Evolution VI 569	S	56	0.335	0.595	4.9	Low-Mid	Exotic - Special order
Speeder Evolution VI 661	S	65.5	0.335	0.600	3.9	Low-Mid	Exotic - Special order
Speeder Evolution VI 661	X	67	0.335	0.600	3.9	Low-Mid	Exotic - Special order
Speeder Evolution VI 757	S	73	0.335	0.600	3.4	Low-Mid	Exotic - Special order
Speeder Evolution VI 757	X	74.5	0.335	0.600	3.4	Low-Mid	Exotic - Special order

Graphite Design	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Tour AD DI-6 (Orange)	S	65	0.335	0.600	3.3	High	Exotic - Special order
Tour AD DI-6 (Orange)	X	67	0.335	0.604	3.3	High	Exotic - Special order
Tour AD DI-7 (Orange)	S	74	0.335	0.600	3.2	Mid-High	Exotic - Special order
Tour AD DI-7 (Orange)	X	75	0.335	0.602	3.1	Mid-High	Exotic - Special order
Tour AD XC-6 (Black)	S	64	0.335	0.598	3.2	Low-Mid	Exotic - Special order
Tour AD XC-6 (Black)	X	65	0.335	0.600	3.2	Low-Mid	Exotic - Special order
Tour AD XC-7 (Black)	S	73	0.335	0.598	3.0	Low-Mid	Exotic - Special order
Tour AD XC-7 (Black)	X	75	0.335	0.600	3.0	Low-Mid	Exotic - Special order
TOUR AD HD 6 S (White/Blue)	S	66	0.335	0.598	3.1	Mid	Exotic - Special order
TOUR AD HD 6 X (White/Blue)	X	68	0.335	0.600	3.1	Mid	Exotic - Special order
TOUR AD HD 7 S (White/Blue)	S	74	0.335	0.600	2.9	Mid	Exotic - Special order
TOUR AD HD 7 X (White/Blue)	X	76	0.335	0.602	2.9	Mid	Exotic - Special order
Tour AD IZ-6 (Black/Orange)	S	63	0.335	0.598	3.2	High	Exotic - Special order
Tour AD IZ-6 (Black/Orange)	X	65	0.335	0.600	3.2	High	Exotic - Special order
Tour AD IZ-7 (Black/Orange)	S	72	0.335	0.598	3.1	High	Exotic - Special order
Tour AD IZ-7 (Black/Orange)	X	74	0.335	0.600	3.1	High	Exotic - Special order

KBS	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
TD Wood Category 1	A	50	0.338	0.605	4.2	High	Exotic - Special order
TD Wood Category 2	R	50	0.338	0.605	4.0	Mid-High	Exotic - Special order
TD Wood Category 3	S	50	0.338	0.605	3.9	Mid	Exotic - Special order
TD Wood Category 3	S	61	0.338	0.600	3.1	Mid	Exotic - Special order
TD Wood Category 3	S	70	0.338	0.600	2.9	Mid	Exotic - Special order
TD Wood Category 4	X	62	0.338	0.600	3.0	Low-Mid	Exotic - Special order
TD Wood Category 4	X	71	0.338	0.600	2.9	Low-Mid	Exotic - Special order

WOODS - EXOTIC CUSTOM SHAFTS

Launcher XL Woods

*All Exotic shafts have a 2 week leadtime.

Mitsubishi	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Diamana ZF 60	S	65	0.335	0.606	3.8	Low-Mid	Exotic - Special order
Diamana ZF 60	TX	69	0.335	0.614	3.7	Low-Mid	Exotic - Special order
Diamana DF 60	R	60	0.335	0.600	3.8	Low-Mid	Exotic - Special order
Diamana DF 60	S	64	0.335	0.606	3.8	Low-Mid	Exotic - Special order
Diamana DF 60	X	66	0.335	0.608	3.8	Low-Mid	Exotic - Special order
Tensei CK Pro Blue 60	S	64	0.335	0.627	4.0	Mid	Exotic - Special order
Tensei CK Pro Blue 60	TX	68	0.335	0.631	3.9	Mid	Exotic - Special order
Tensei CK Pro Blue 70	S	73	0.335	0.629	3.2	Mid	Exotic - Special order
Tensei CK Pro Blue 70	TX	77	0.335	0.635	3.2	Mid	Exotic - Special order
Tensei CK Pro White 60	S	62	0.335	0.600	3.9	Low	Exotic - Special order
Tensei CK Pro White 60	TX	68	0.335	0.631	3.9	Low	Exotic - Special order
Tensei CK Pro White 70	S	73	0.335	0.600	3.3	Low	Exotic - Special order
Tensei CK Pro White 70	TX	77	0.335	0.635	3.2	Low	Exotic - Special order
Tensei CK Pro Orange 60	S	64	0.335	0.606	3.5	Low	Exotic - Special order
Tensei CK Pro Orange 60	TX	67	0.335	0.608	3.4	Low	Exotic - Special order
Tensei CK Pro Orange 70	S	72	0.335	0.608	2.9	Low	Exotic - Special order
Tensei CK Pro Orange 70	TX	74	0.335	0.610	2.8	Low	Exotic - Special order
Tensei AV Blue 65	S	67	0.335	0.598	3.9	Mid	Exotic - Special order
Tensei AV Blue 65	X	68	0.335	0.598	3.4	Mid	Exotic - Special order
Tensei AV Blue 75	S	77	0.335	0.600	3.9	Mid	Exotic - Special order
Tensei AV Blue 75	X	78	0.335	0.600	3.4	Mid	Exotic - Special order

Project X	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
------------------	------------------	------------	--------	---------	--------	------------	--------------

<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
HZRDUS Smoke Green 60	6.5	62	0.335	0.600	3.3	Low	Exotic - Special order
HZRDUS Smoke Green 70	6.0	70	0.335	0.600	3.2	Low	Exotic - Special order
HZRDUS Smoke Green 70	6.5	72	0.335	0.600	2.8	Low	Exotic - Special order
Evenflow Riptide 70	6.0	71	0.335	0.640	4.2	Mid	Exotic - Special order
Evenflow Riptide 70	6.5	71	0.335	0.640	4.0	Mid	Exotic - Special order
EvenFlow Green 45	5.0	46	0.335	0.600	N/A	High	Exotic - Special order
EvenFlow Green 55	5.0	59	0.335	0.600	N/A	High	Exotic - Special order
EvenFlow Green 55	6.0	59	0.335	0.600	N/A	High	Exotic - Special order

UST Mamiya	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Helium Black 5	F5 - (X)	60	0.335	0.600	5.3	Mid-High	Exotic - Special order
Proforce V2 HL 6	F3 - (R)	65	0.335	0.600	3.0	Mid	Exotic - Special order
Proforce V2 HL 6	F4 - (S)	66	0.335	0.600	3.0	Mid	Exotic - Special order
Proforce V2 HL 7	F4 - (S)	76	0.335	0.605	2.2	Mid	Exotic - Special order
Proforce V2 HL 7	F5 - (X)	76	0.335	0.605	2.2	Mid	Exotic - Special order
Lin-Q Gunmetal 6	F4 - (S)	70	0.335	0.604	3.2	Mid-Low	Exotic - Special order
Lin-Q Gunmetal 6	F5 - (X)	70	0.335	0.604	3.2	Mid-Low	Exotic - Special order
Lin-Q Gunmetal 7	F4 - (S)	78	0.335	0.602	3.1	Low	Exotic - Special order
Lin-Q Gunmetal 7	F5 - (X)	78	0.335	0.602	3.1	Low	Exotic - Special order
Lin-Q Purple 6	F4 - (S)	67	0.335	0.604	4.8	Mid	Exotic - Special order
Lin-Q Purple 6	F5 - (X)	68	0.335	0.605	3.8	Mid	Exotic - Special order
Lin-Q Purple 7	F4 - (S)	76	0.335	0.604	4.1	Mid	Exotic - Special order
Lin-Q Purple 7	F5 - (X)	78	0.335	0.604	3.3	Mid	Exotic - Special order

WOODS

		SPIN				
		LOW	LOW-MID	MID	MID-HIGH	HIGH
LAUNCH	HIGH				Bassara E42	Helium Black 5 Project X Cypher Forty
	MID-HIGH			Tensei CK Blue 50 Evenflow Riptide 50 Evenflow Riptide CB 40	Tensei CK Red 50 Project X Cypher Fifty Project X Cypher Fifty-Five Fwy	
	MID			Evenflow Riptide 60 Tensei CK Blue 60 S		
	LOW-MID		Tensei CK White 60 TENSEI CK WHITE 70			
	LOW	HZRdus Smoke Black 60				

NOTES: BECAUSE EVERY PLAYER LOADS AND RELEASES SHAFTS DIFFERENTLY, THE ABOVE CHART IS A RELATIVE (NOT ABSOLUTE) MEASURE OF HOW EACH SHAFT PERFORMS, AND HOW THEY PERFORM RELATIVE TO EACH OTHER

Red = Stock Shaft

WOODS - CUSTOM SPECIFICATIONS

*Accuracy Build Custom Options - Requires Stock Shaft and Grip

Model	Length	8g Grip Weight*	Grip Size Options	Other Grip Wraps	Tip Cut*
Launcher XL Driver	-1.0"	Not Available	<ul style="list-style-type: none"> +1/64" (+1 Wrap) +1/32" (+2 Wraps) +3 Wraps In Box 3 Extra Lower Wraps Standard 	<ul style="list-style-type: none"> Standard Grip Upside Down 1 Extra Lower Wrap 2 Extra Lower Wraps 3 Extra Lower Wraps 	Not Available
Launcher XL Lite Driver	-1.0"				
Launcher XL Halo Fairway	-0.5"				
Launcher XL Halo Hybrid	-0.5"				

*Accuracy Build is specifically engineered to improve control, so stock shaft and grip must be ordered. Length is predetermined, and 8g grip weight and tip cutting are not available. Grip wraps can be customized. If other modifications are requested, see options below.

Custom Build Options - with Stock Shaft and Grip

Model	<i>Underlength (-1" to -0.5")*</i>		<i>Standard & Overlength (-0.25" to +1")**</i>			Grip Size Options	Other Grip Wraps	Tip Cut
	Length*	8g Grip Weight*	Length**	8g Grip Weight**				
Launcher XL Driver	-1", -0.75", -0.5"	Not Available	-0.25", Std, +0.25", +0.5", +0.75", +1"	Available, with option to exclude		<ul style="list-style-type: none"> +1/64" (+1 Wrap) +1/32" (+2 Wraps) +3 Wraps In Box 3 Extra Lower Wraps Standard 	<ul style="list-style-type: none"> Standard Grip Upside Down 1 Extra Lower Wrap 2 Extra Lower Wraps 3 Extra Lower Wraps 	<ul style="list-style-type: none"> Standard 0.5" 1"
Launcher XL Lite Driver								
Launcher XL Halo Fairway								
Launcher XL Halo Hybrid								Not Available

*As a default, 8g grip weight is excluded from shorter builds to prevent swing weight from being too low.

Custom Build Option - with **NON** Stock Shaft or Grip

Model	Length	8g Grip Weight*	Grip Size Options	Other Grip Wraps	Tip Cut
Launcher XL Driver	+/- 1", increments of 0.25"	Not Available	<ul style="list-style-type: none"> +1/64" (+1 Wrap) +1/32" (+2 Wraps) +3 Wraps In Box 3 Extra Lower Wraps Standard 	<ul style="list-style-type: none"> Standard Grip Upside Down 1 Extra Lower Wrap 2 Extra Lower Wraps 3 Extra Lower Wraps 	<ul style="list-style-type: none"> Standard 0.5" 1"
Launcher XL Lite Driver					
Launcher XL Halo Fairway					
Launcher XL Halo Hybrid					Not Available

*For fit and quality reasons, 8g Grip Weight is only offered with stock components

HYBRIDS - STOCK SHAFTS

Launcher Halo XL

CG Launcher XL Halo HYB	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	
Project X Cypher Hyb	L	52	0.370	0.590	5.2	Mid High	At Once
Project X Cypher Hyb	A	60	0.370	0.590	4.2	Mid High	At Once
Project X Cypher Hyb	R	74	0.370	0.600	3.2	Mid High	At Once
Project X Cypher Hyb	S	74	0.370	0.600	3.2	Mid High	At Once
CG Launcher XL Halo HY-Wood*	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	
Project X Cypher 40 Hyb	A	50	0.370	0.610	5.1	Mid High	At Once
Project X Cypher 40 Hyb	R	50	0.370	0.610	4.7	Mid High	At Once
Project X Cypher 40 Hyb	S	50	0.370	0.610	4.5	Mid High	At Once

*HY-Wood stock shafts cannot be substituted for a custom shaft

HYBRIDS - AT ONCE CUSTOM SHAFTS

Launcher Halo XL

Project X	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	
Evenflow Riptide 85 Hyb	5.5	88	0.370	0.600	3.2	Mid	At Once
Evenflow Riptide 85 Hyb	6.0	88	0.370	0.600	3.2	Mid	At Once
Evenflow Riptide 85 Hyb	6.5	88	0.370	0.600	3.2	Mid	At Once
Hrzdus Smoke Black 80 Hyb	5.5	80	0.370	0.600	2.5	Low	At Once
Hrzdus Smoke Black 80 Hyb	6.0	81	0.370	0.600	2.5	Low	At Once
Hrzdus Smoke Black 80 Hyb	6.5	83	0.370	0.600	2.4	Low	At Once

UST Mamiya	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Recoil ES 65 F2 Hybrid	F2 - (A)	66	0.370	0.600	3.9	Mid-High	At Once
Recoil ES 75 F3 Hybrid	F3 - (R)	76	0.370	0.600	3.1	Mid-High	At Once
Recoil ES 85 F4 Hybrid	F4 - (S)	82	0.370	0.610	3.0	Mid-High	At Once
Proforce V2 Hybrid	F2 - (A)	79	0.370	0.600	3.2	Mid-High	At Once
Proforce V2 Hybrid	F3 - (R)	84	0.370	0.600	3.2	Mid-High	At Once
Proforce V2 Hybrid	F4 - (S)	86	0.370	0.605	3.2	Mid-High	At Once

HYBRIDS - EXOTIC CUSTOM SHAFTS

Launcher Halo XL

*All Exotic shafts have a 2 week leadtime.

Aldila	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	
Rogue Black Hybrid 85	TR	83	0.370	0.614	3.0	Mid	Exotic - Special order
Rogue Black Hybrid 85	TS	84	0.370	0.614	2.7	Mid	Exotic - Special order
Rogue Black Hybrid 85	TX	89	0.370	0.629	2.4	Mid	Exotic - Special order
Tour Blue 85	S	86	0.370	0.630	2.5	Mid	Exotic - Special order
Tour Blue 85	X	87	0.370	0.629	2.3	Mid	Exotic - Special order
Tour Blue 85	TX	86	0.370	0.626	2.2	Mid	Exotic - Special order
Tour Green 85	S	85	0.370	0.624	2.8	Low-Mid	Exotic - Special order
Tour Green 85	X	86	0.370	0.628	2.5	Low-Mid	Exotic - Special order
Tour Green 85	TX	86	0.370	0.625	2.2	Mid	Exotic - Special order

Graphite Design	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	
Tour AD IZ-75 R (Black/Orange)	R	76	0.370	0.598	3.1	Mid-High	Exotic - Special order
Tour AD IZ-85 S (Black/Orange)	S	86	0.370	0.602	2.4	Low-Mid	Exotic - Special order
Tour AD IZ-95 S (Black/Orange)	S	96	0.370	0.598	2.1	Low-Mid	Exotic - Special order
Tour AD DI 75-R (Orange)	R	78	0.370	0.602	3.1	Mid	Exotic - Special order
Tour AD DI 75-S (Orange)	S	78	0.370	0.604	3.1	Mid	Exotic - Special order

KBS	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	
KBS Tour Prototype 75	R	75	0.370	0.600	3.2	Mid	Exotic - Special order
KBS Tour Prototype 75	S	75	0.370	0.600	3.2	Mid	Exotic - Special order
KBS Tour Prototype 85	R	85	0.370	0.600	3.0	Mid	Exotic - Special order
KBS Tour Prototype 85	S	85	0.370	0.600	3.0	Mid	Exotic - Special order
KBS Tour Prototype 85	X	85	0.370	0.600	3.0	Mid	Exotic - Special order
KBS Tour Prototype 95	S	95	0.370	0.600	2.7	Mid	Exotic - Special order
KBS Tour Prototype 95	X	95	0.370	0.600	2.7	Mid	Exotic - Special order

Mitsubishi	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	
Mitsubishi Tensei AV Raw Blue HYB 75	R	77	0.370	0.586	4.0	Mid	Exotic - Special order
Mitsubishi Tensei AV Raw Blue HYB 75	S	80	0.370	0.590	4.0	Mid	Exotic - Special order
Mitsubishi Tensei AV Raw Blue HYB 75	X	83	0.370	0.594	4.0	Mid	Exotic - Special order

UST Mamiya	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Recoil ES 95 F5 Hybrid	F5 - (X)	91	0.370	0.610	2.9	Mid-High	Exotic - Special order
Proforce V2 Hybrid	F5 - (X)	90	0.370	0.610	3.2	Mid-High	Exotic - Special order

HYBRIDS

		SPIN				
		LOW	LOW-MID	MID	MID-HIGH	HIGH
LAUNCH	HIGH					
	MID-HIGH				Recoil ES Hybrid ProForce V2 Project X Cypher Hyb Project X Cypher 40 Hyb	
	MID			Evenflow Riptide 85 Hybrid		
	LOW-MID					
	LOW	Hzrdus Smoke Black 80 Hyb				

NOTES: BECAUSE EVERY PLAYER LOADS AND RELEASES SHAFTS DIFFERENTLY, THE ABOVE CHART IS A RELATIVE (NOT ABSOLUTE) MEASURE OF HOW EACH SHAFT PERFORMS, AND HOW THEY PERFORM RELATIVE TO EACH OTHER

Red = Stock Shaft
 Green = No-Upcharge Shaft

GRIPS - CLUBS

Cleveland Golf Woods, Irons, Wedges

Standard Grip Options	WEIGHT (g)	Sizing	Products
Golf Pride Tour Velvet 360	52	Standard	ZipCore, Launcher XL Woods & Irons
Lamkin Crossline 360	51	Standard	CBX2 Wedge, CBX Full Face, Smart Sole 4
Winn Dri-Tac Ladies	35	Standard	WMN's Launcher XL Woods & Irons
Lamkin Crossline Black	50	Standard	RTX Full Face
Huntington Beach Blue	85	Standard	HB SOFT
Lamkin SinkFit	120	Midsized	Frontline Putter
Lamkin SinkFit Skinny Pistol	70	Standard	HB SOFT Premier
Cleveland Oversized	63	Midsized	HB SOFT

Golf Pride Custom Grips	WEIGHT (g)	CORD / NON-CORD	RIB OPTION AVAILABLE
TOUR VELVET .58	49.5	Non	No
TOUR VELVET MIDSIZED	53	Non	No
TOUR VELVET JUMBO	61	Non	No
TOUR VELVET PLUS 4	52	Non	No
TOUR VELVET PLUS 4 MIDSIZED	65.5	Non	No
TOUR VELVET ALIGN	51.5	Non	Yes
TOUR VELVET ALIGN MIDSIZED	64	Non	Yes
TOUR VELVET FULL CORD .58	50.5	Cord	No
MCC PLUS 4 ALIGN	53	1/2 Cord	Yes
MCC PLUS 4 ALIGN MIDSIZED	67	1/2 Cord	Yes
MCC PLUS 4 - Gray	52	1/2 Cord	No
MCC PLUS 4 - Red	52	1/2 Cord	No
MCC PLUS 4 - Blue	52	1/2 Cord	No
MCC PLUS 4 MIDSIZED - Gray	66	1/2 Cord	No
MCC PLUS 4 MIDSIZED - Blue	66	1/2 Cord	No
MCC PLUS 4 JUMBO - Gray	82	1/2 Cord	No
MCC ALIGN	51	1/2 Cord	Yes
MCC ALIGN MIDSIZED	62	1/2 Cord	Yes
MCC - Black	46.5	1/2 Cord	No
MCC - Red	46.5	1/2 Cord	No
MCC - Blue	46.5	1/2 Cord	No
MCC - White	46.5	1/2 Cord	No
MCC MIDSIZED - Black	59	1/2 Cord	No
MCC MIDSIZED - Red	59	1/2 Cord	No
MCC MIDSIZED - Blue	59	1/2 Cord	No
MCC MIDSIZED - White	59	1/2 Cord	No
Z CORD	50.5	Cord	No
Z CORD MIDSIZED	57.5	Cord	No
CP2 WRAP	51.5	Non	No
CP2 WRAP MIDSIZED	64	Non	No
CP2 WRAP JUMBO	81	Non	No
CP2 PRO	51.5	Non	No
CP2 PRO MIDSIZED	64	Non	No
CP2 PRO JUMBO	81	Non	No

Lamkin Custom Grips	WEIGHT (g)	CORD / NON-CORD	RIB OPTION AVAILABLE
CrossLine .58 RND	50	Non	No
CrossLine Midsized	62	Non	No
Crossline Full Cord	50	Cord	No
Sonar+	53	Non	No
Sonar+ Midsized	57	Non	No
UTx (Solid Gray)	52	Cord	No
UTx (Solid Gray) Midsized	63	Cord	No
St+2 Hyb	53	1/2 Cord	No
St+2 Hyb Midsized	57	1/2 Cord	No

Winn Custom Grips	WEIGHT (g)	CORD / NON-CORD	RIB OPTION AVAILABLE	
Dri-Tac	48	Non	No	
Dri-Tac Midsize	49	Non	No	
Dri-Tac Lite Midsize	23	Non	No	
Dri-Tac Lite Oversize	33	Non	No	
Excel Standard	42	Non	No	
Excel Midsize (Black)	43	No	No	
Excel Oversize (Black)	47	No	No	

All grips available: Std, +1 wrap (+1/64") , +2 wraps, +3 wraps



Cleveland Golf Putters

GOLF PRIDE PUTTER GRIPS	WEIGHT (g)	SIZING	MATERIAL	
Tour SNSR Straight 104cc	90	Standard	Rubber	
Tour SNSR Straight 140cc	120	Standard	Rubber	
Tour SNSR Contour 104cc	90	Standard	Rubber	
Tour SNSR Contour 140cc	120	Midsize	Rubber	
Pro Only Green Star	88	Standard	Rubber	

LAMKIN PUTTER GRIPS	WEIGHT (g)	SIZING	MATERIAL	
SinkFit Pistol (Cleveland Branded)	120	Midsize	Rubber	
SinkFit Pistol Skinny (Cleveland Branded)	70	Standard	Rubber	
SinkFit Pistol PU	63	Midsize	Polyurethane	
SinkFit Straight PU	60	Midsize	Polyurethane	
Deep Etched	81	Standard	Rubber	

SUPERSTROKE PUTTER GRIPS	WEIGHT (g)	SIZING	MATERIAL		
Traxion Pistol GT Tour	69	Standard	Polyurethane		
Traxion Pistol GT 1.0	82	Standard	Polyurethane		
Traxion Pistol GT 2.0	51	Midsize	Polyurethane		
Traxion Tour 2.0	55	Midsize	Polyurethane		
Traxion Tour 3.0	66	Oversize	Polyurethane		
Traxion Flatso 2.0	50	Midsize	Polyurethane		
Traxion 1.0 PT	60	Standard	Polyurethane		

**Superstroke putter grips are only available on Frontline Putters



*No Upcharge for HB SOFT Premier and Frontline

*No Upcharge for HB SOFT Premier and Frontline