

# 2017-2018


CLEVELAND GOLF

---

## CUSTOM CATALOG

### TABLE OF CONTENTS

Irons & Wedges	PAGE 2
Woods	PAGE 6
Hybrids	PAGE 13
GRIPS	PAGE 16



## IRONS - CUSTOM SHAFTS

(All Taper Tip)

Launcher CBX and Launcher HB Iron Sets

<b>Aerotech</b>	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---
SteelFiber i70	R	74	0.355	0.600	3.0	Mid-High
SteelFiber i70	S	74	0.355	0.600	3.3	Mid-High
SteelFiber i80	R	85	0.355	0.600	2.5-2.9	Mid
SteelFiber i80	S	85	0.355	0.600	2.5-2.9	Mid
SteelFiber i95	R	95	0.355	0.602	2.1-2.5	Mid
SteelFiber i95	S	95	0.355	0.602	2.0-2.4	Low-Mid
SteelFiber i95	X	95	0.355	0.602	1.8-2.3	Low-Mid
SteelFiber i110	S	110	0.355	0.605	1.5-1.9	Low-Mid
SteelFiber i110	X	110	0.355	0.605	1.5-1.9	Low-Mid

<b>Nippon</b>	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---
NS Pro Modus3 105	R	103	0.355	0.600	1.9	Mid
NS Pro Modus3 105	S	105	0.355	0.600	1.7	Mid
NS Pro Modus3 120	S	114	0.355	0.600	1.7	Mid-Low
NS Pro Modus3 120	X	120	0.355	0.600	1.6	Mid-Low
NS Pro Modus3 125	S	129	0.355	0.600	1.7	Low
NS Pro Modus3 125	X	130	0.355	0.600	1.4	Low
NS Pro Modus3 130	S	124	0.355	0.600	1.2-1.7	Mid
NS Pro Modus3 130	X	129	0.355	0.600	1.2-1.6	Mid
NS Pro 950GH	R	95	0.355	0.610	1.8-2.3	Mid
NS Pro 950GH	S	98	0.355	0.610	1.6-2.0	Mid
NS Pro 950GH DST	R	95	0.355	0.610	1.8-2.0	Mid-High
NS Pro 950GH DST	S	98	0.355	0.610	1.8-2.0	Mid-High
Nippon NS Pro 980GH DST	R	98	0.355	0.600	2.4	Low-Mid
Nippon NS Pro 980GH DST	S	103	0.355	0.600	2.4	Low-Mid

<b>KBS</b>	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---
C-Taper	S	120	0.355	0.600	1.9	Low
C-Taper	X	130	0.355	0.600	1.8	Low
C-Taper Lite	R	105	0.355	0.600	2.2	Mid-High
C-Taper Lite	S	110	0.355	0.600	2.1	Mid-High
C-Taper Lite	X	115	0.355	0.600	2.0	Mid-High
Tour*	R	110	0.355	0.600	1.6-2.0	Mid
Tour*	S	120	0.355	0.600	1.6-2.0	Mid
Tour*	X	130	0.355	0.600	1.6-2.0	Mid
Tour 90	R	95	0.355	0.600	2.5	Mid-High
Tour 90	S	102	0.355	0.600	2.3	Mid-High
Tour 105	R	105	0.355	0.600	2.0	Mid-High
Tour 105	S	110	0.355	0.600	1.9	Mid-High
Tour-V	R	100	0.355	0.600	2.1	Mid
Tour-V	S	110	0.355	0.600	2.0	Mid
Tour-V	X	120	0.355	0.600	1.9	Mid
Tour FLT	R	110	0.355	0.600	n/a	Mid
Tour FLT	S	120	0.355	0.600	n/a	Mid
Tour FLT	X	130	0.355	0.600	n/a	Mid
KBS 560 (Junior Shafts)	R	80g-89g	0.355	0.600	n/a	Mid-High
KBS 580 (Junior Shafts)	R	80g-88g	0.355	0.600	n/a	Mid-High
KBS 580 (Junior Shafts)	S	80g-88g	0.355	0.600	n/a	Mid-High

<b>Miyazaki</b>	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY
Miyazaki C KUA Graphite Iron	L	47	0.355	0.600	4.1	Mid-High
Miyazaki C KUA Graphite Iron	A	57	0.355	0.600	3.8	Mid-High
Miyazaki C KUA Graphite Iron	R	60	0.355	0.600	3.7	Mid-High
Miyazaki C KUA Graphite Iron	S	62	0.355	0.600	3.7	Mid-High

## IRONS - CUSTOM SHAFTS

(All Taper Tip)

Launcher CBX and Launcher HB Iron Sets

Project X	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---
Project X	5.0	115	0.355	0.600	1.6-1.8	Low
Project X	5.5	115	0.355	0.600	1.6-1.8	Low
Project X	6.0	120	0.355	0.600	1.6-1.8	Low
Project X	6.5	125	0.355	0.600	1.6-1.8	Low
Project X	7.0	130	0.355	0.600	1.6-1.8	Low
Project X PXi	5.5	108	0.355	0.600	1.5-1.8	Low
Project X PXi	6.0	112	0.355	0.600	1.5-1.8	Low
Project X PXi	6.5	112	0.355	0.600	1.5-1.8	Low
Project X LZ	5.5	115	0.355	0.600	n/a	Mid
Project X LZ	6.0	120	0.355	0.600	n/a	Mid
Project X LZ	6.5	125	0.355	0.600	n/a	Mid

True Temper	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---
Dynamic Gold	R400	129	0.355	0.600	1.5-1.9	Low
Dynamic Gold	R300	127	0.355	0.600	1.5-1.9	Low
Dynamic Gold	S300	130	0.355	0.600	1.5-1.9	Low
Dynamic Gold	S400	132	0.355	0.600	1.5-1.9	Low
Dynamic Gold	X100	130	0.355	0.600	1.5-1.9	Low
Dynamic Gold Tour Issue	S400	132	0.355	0.600	1.5-1.9	Low
Dynamic Gold Tour Issue	X100	130	0.355	0.600	1.5-1.9	Low
Dynamic Gold SL	R300	104	0.355	0.600	2.0-2.2	Low
Dynamic Gold SL	S300	106	0.355	0.600	2.0-2.2	Low
Dynamic Gold SL	X100	108	0.355	0.600	2.0-2.2	Low
Dynamic Gold AMT	S300	112-130	0.355	0.600	N/A	Low
Dynamic Gold AMT	X100	112-130	0.355	0.600	N/A	Low
Dynamic Gold AMT Tour Issue	S400	114-132	0.355	0.600	N/A	Low
Dynamic Gold AMT Tour Issue	X100	112-130	0.355	0.600	N/A	Low
Dynamic Gold 105	R300	101	0.355	0.600	1.5-1.9	Low
Dynamic Gold 105	S300	103	0.355	0.600	1.5-1.9	Low
Dynamic Gold 120	R300	116	0.355	0.600	1.5-1.9	Low
Dynamic Gold 120	S300	118	0.355	0.600	1.5-1.9	Low
Dynamic Gold 120	X100	120	0.355	0.600	1.5-1.9	Low
Dynamic Gold DST98	R300	95	0.355	0.600	3.2	High
Dynamic Gold DST98	S300	99	0.355	0.600	2.7	High
XP 95	R300	93	0.355	0.600	2.2	High
XP 95	S300	95	0.355	0.600	2.0	High
XP 105	R300	100	0.355	0.600	2.1	High
XP 105	S300	101	0.355	0.600	1.9	High
XP 115	R300	114	0.355	0.600	1.9	Mid
XP 115	S300	117	0.355	0.600	1.7	Mid

UST Mamiya	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---
Recoil 660	A	68	0.355	0.600	4.3	Mid-High
Recoil 670	R	75	0.355	0.605	4.1	Mid-High
Recoil 670	S	78	0.355	0.610	3.8	Mid-High
Recoil 680	X	84	0.355	0.605	3.8	Mid-High
Recoil 760 ES	A	65	0.355	0.600	4.2	Mid-High
Recoil 760 ES	R	68	0.355	0.600	4.1	Mid-High
Recoil 780 ES	S	86	0.355	0.600	3.5	Mid
Recoil 780 ES	X	89	0.355	0.600	3.5	Mid

## Wedge Shaft Options

### Standard

Brand	Model	Flex	Weight (grams)	Trajectory
True Temper	Dynamic Gold	Wedge	130	Low-Mid

Cleveland Golf	Rotex Graphite	Wedge	90	Mid
----------------	----------------	-------	----	-----

### Custom


Brand	Model	Flex	Weight (grams)	Trajectory
KBS	Custom Series White	Wedge	120	Mid
	Custom Series Black	Wedge	120	Mid
	Custom Series Silver	Wedge	120	Mid

NIPPON	NS Pro Modus3 Wdg 105	Wedge	111	Mid
	NS Pro Modus3 Wdg 115	Wedge	122	Mid
	NS Pro Modus3 Wdg 125	Wedge	133	Mid

TRUE TEMPER	Dynamic Gold Spinner	Wedge	124	Low
	Dynamic Gold Spinner	Wedge +	131	Low
	Dynamic Gold 115	Wedge	115	Low/Mid
	Dynamic Gold Tour Issue Onyx	Wdg	132	Low
	College Logo Shafts	Wdg	130	Low

# IRONS

## Iron Shaft Performance



All shafts shown are based on S flex.

Red = Standard Shaft

## IRONS - CUSTOM SPECIFICATIONS

### CG Launcher Irons

Steel	4	5	6	7	8	9	P	D	S
Launcher CBX Irons Sets	38.875	38.25	37.625	37	36.5	36	35.75	35.5	N/A
Launcher HB Iron Sets	38.875	38.25	37.625	37	36.5	36	35.75	35.5	35.5

Custom build lengths are the same as standard build lengths. Swingweights may vary depending on the custom shaft used.

### Important Information: CG Launcher Irons

The CG Launcher CBX and CG Launcher HB Iron Sets were developed with the following standard steel shaft specifications (inches):

	4	5	6	7	8	9	P	D	S
Uncut Shaft Length	38.5	38.0	37.5	37.0	36.5	36.0	35.5	35.5	35.5

This shaft configuration is designed to maximize performance for the CG Launcher CBX and CG Launcher HB Iron Sets. Strong-stepped and “double” strong-stepped custom configurations are also available for these shafts. For all custom iron shafts, traditional soft-stepping and strong-stepping custom configurations are available. Please contact Srixon/Cleveland Golf customer service at (800) 999-6263 if you have any questions.

#### Loft and Lie Bending

Lie Angle Range (All Irons)	-2° thru +2° 1° increments
Loft Range	2° Strong thru 2° Weak 1° increments

#### Length

Steel:	-1" thru +2", or Uncut 1/4" increments
Graphite:	-1" thru +2", or Uncut 1/4" increments

Note: Some over length options are not available pending shaft or tipping options

## WOODS - STOCK SHAFTS

<b>CG Launcher HB Driver &amp; Fairway</b>	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---
Miyazaki CKUA 40	L	46	0.335	0.600	5.2	Mid-High
Miyazaki CKUA 50	A	53	0.335	0.600	5.0	Mid-High
Miyazaki CKUA 50	R	55	0.335	0.600	5.0	Mid-High
Miyazaki CKUA 50	S	57	0.335	0.600	4.9	Mid-High

## WOODS - CUSTOM SHAFTS

### CG Launcher HB Woods

<b>Aldila</b>	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
RIP 60 Alpha	S	62	0.335	0.615	3.1	Low-Mid	Custom
RIP 60 Alpha	X	64	0.335	0.610	3.0	Low-Mid	Custom
Rogue I/O 60	S	64	0.335	0.637	3.8	Low-Mid	Custom
Rogue Silver 60	S	69	0.335	0.635	3.4	Low-Mid	Custom
Rogue Silver 60	X	72	0.335	0.635	3.1	Low-Mid	Custom
Rogue Silver 70	S	77	0.335	0.640	3.1	Low-Mid	Custom
Rogue Silver 70	X	78	0.335	0.645	2.8	Low-Mid	Custom
Rogue Black 60	S	68	0.335	0.640	3.6	Mid	Custom
Rogue Black 60	X	70	0.335	0.645	3.3	Mid	Custom
Rogue Black 70	S	74	0.335	0.640	3.3	Mid	Custom
Rogue Black 70	X	75	0.335	0.645	3.0	Mid	Custom
Rogue Black 80	S	85	0.335	0.640	2.8	Mid	Custom
Rogue Black 80	X	86	0.335	0.640	2.6	Mid	Custom
Tour Blue 65	R	68	0.335	0.640	4.2	Mid	Custom
Tour Blue 65	S	69	0.335	0.642	3.7	Mid	Custom
Tour Blue 65	X	71	0.335	0.646	3.2	Mid	Custom
Tour Blue 65	TX	69	0.335	0.642	2.7	Mid	Custom
Tour Blue 75	S	76	0.335	0.640	3.5	Mid	Custom
Tour Blue 75	X	76	0.335	0.642	2.9	Mid	Custom
Tour Blue 75	TX	76	0.335	0.642	2.5	Mid	Custom
Tour Green 65	R	66	0.335	0.636	4.5	Low-Mid	Custom
Tour Green 65	S	67	0.335	0.635	3.9	Low-Mid	Custom
Tour Green 65	TS	67	0.335	0.641	3.5	Low-Mid	Custom
Tour Green 65	X	69	0.335	0.641	3.5	Low-Mid	Custom
Tour Green 65	TX	69	0.335	0.640	3.3	Low-Mid	Custom
Tour Green 75	S	74	0.335	0.632	3.7	Low-Mid	Custom
Tour Green 75	X	75	0.335	0.637	3.3	Low-Mid	Custom
Tour Green 75	TX	76	0.335	0.640	2.8	Low-Mid	Custom

# WOODS - CUSTOM SHAFTS

CG Launcher HB Woods

<b>Fujikura</b>	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Speeder Evolution 569	S	59	0.335	0.605	3.5	Mid-High	Exotic
Speeder Evolution 661	S	66	0.335	0.605	3.2	Mid	Exotic
Speeder Evolution 661	X	68	0.335	0.605	3.0	Mid	Exotic
Speeder Evolution 757	S	78	0.335	0.615	2.7	Mid	Exotic
Speeder Evolution 757	X	79	0.335	0.615	2.7	Mid	Exotic
Speeder Evo 661 (Tour Spec)	S	68	0.335	0.605	3.5	Mid	Exotic
Speeder Evo 661 (Tour Spec)	X	68	0.335	0.605	3.5	Mid	Exotic
Speeder Evo 757 (Tour Spec)	S	79	0.335	0.620	2.6	Low	Exotic
Speeder Evo 757 (Tour Spec)	X	80	0.335	0.620	2.6	Low	Exotic

<b>Graphite Design</b>	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Tour AD BB-6	S	65	0.335	0.598	3.2	Mid	Exotic
Tour AD BB-6	X	66.5	0.335	0.600	3.2	Mid	Exotic
Tour AD BB-7	S	74.5	0.335	0.598	3.0	Mid	Exotic
Tour AD BB-7	X	76	0.335	0.600	3.0	Mid	Exotic
Tour AD DI-6	SR	64	0.335	0.595	3.2	Mid	Exotic
Tour AD DI-6	S	68	0.335	0.605	3.1	Mid	Exotic
Tour AD DI-6	X	69	0.335	0.605	3.1	Mid	Exotic
Tour AD MJ-6	S	62.5	0.335	0.598	3.4	Mid-High	Exotic
Tour AD MJ-6	X	64	0.335	0.600	3.4	Mid-High	Exotic
Tour AD MJ-7	S	71	0.335	0.600	3.2	Mid	Exotic
Tour AD MJ-7	X	72.5	0.335	0.602	3.2	Mid	Exotic
Tour AD MT-6	S	64.5	0.335	0.598	3.3	Mid	Exotic
Tour AD MT-6	X	66	0.335	0.600	3.3	Mid	Exotic
Tour AD MT-7	S	74	0.335	0.598	3.1	Mid	Exotic
Tour AD MT-7	X	75	0.335	0.600	3.1	Mid	Exotic

<b>Matrix</b>	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
OZIK 60M5 Black Tie	S	65.5	0.335	0.620	3.4	Low	Exotic
OZIK 60M5 Black Tie	X	67.5	0.335	0.625	3.3	Low	Exotic
OZIK 70M5 Black Tie	X	77	0.335	0.625	2.7	Low	Exotic
OZIK 60Q5 Red Tie	S	67	0.335	0.630	3.3	Mid	Exotic
OZIK 60Q5 Red Tie	X	69	0.335	0.635	3.2	Mid	Exotic
OZIK 50X5 White Tie	S	57	0.335	0.610	4.1	High	Exotic
OZIK 60X5 White Tie	S	65	0.335	0.600	4.1	High	Exotic

# WOODS - CUSTOM SHAFTS

CG Launcher HB Woods

<b>Mitsubishi</b>	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Diamana R 60	S	64	0.335	0.620	3.5	Mid	Exotic
Diamana R 60	X	67	0.335	0.624	3.4	Mid	Exotic
Diamana R 70	S	72	0.335	0.616	3.1	Mid	Exotic
Diamana R 70	X	76	0.335	0.620	3.0	Mid	Exotic
Diamana W 60	S	64	0.335	0.598	3.2	Low	Exotic
Diamana W 60	X	67	0.335	0.602	3.2	Low	Exotic
Diamana W 70	S	74	0.335	0.602	3.0	Low	Exotic
Diamana W 70	X	77	0.335	0.604	2.8	Low	Exotic
Diamana W 80	S	84	0.335	0.598	2.8	Low	Exotic
Diamana W 80	X	87	0.335	0.602	2.8	Low	Exotic
Fubuki J 50	R	54	0.335	0.602	5.0	Mid	Exotic
Fubuki J 50	S	56	0.335	0.606	4.9	Mid	Exotic
Fubuki J 50	X	59	0.335	0.608	4.9	Low-Mid	Exotic
Fubuki J 60	S	64	0.335	0.606	3.9	Mid	Exotic
Fubuki J 60	X	66	0.335	0.608	3.9	Low-Mid	Exotic
Fubuki J 70	S	72	0.335	0.604	3.6	Mid	Exotic
Fubuki J 70	X	74	0.335	0.606	3.6	Low-Mid	Exotic
Kuro Kage Black HBP 50*	L	53	0.335	0.600	5.6	Mid	No-Upcharge
Kuro Kage Black HBP 50*	A	57	0.335	0.616	5.4	Mid	No-Upcharge
Kuro Kage Black HBP 50*	R	57	0.335	0.616	5.0	Mid	No-Upcharge
Kuro Kage Black HBP 60*	R	65	0.335	0.618	4.6	Mid	No-Upcharge
Kuro Kage Black HBP 60*	S	67	0.335	0.620	4.4	Mid	No-Upcharge
Kuro Kage Black HBP 60*	X	68	0.335	0.620	3.4	Mid	No-Upcharge
Kuro Kage Silver TiNi 60*	R	65	0.335	0.614	4.6	Low-Mid	No-Upcharge
Kuro Kage Silver TiNi 60*	S	67	0.335	0.618	4.4	Low-Mid	No-Upcharge
Kuro Kage Silver TiNi 60*	X	69	0.335	0.620	3.3	Low	No-Upcharge
Kuro Kage Silver TiNi 70*	S	76	0.335	0.618	4.1	Low-Mid	No-Upcharge
Kuro Kage Silver TiNi 70*	X	77	0.335	0.620	3.0	Low	No-Upcharge
Kuro Kage XT 60	S	63	0.335	0.602	4.0	Low	Exotic
Kuro Kage XT 60	X	66	0.335	0.606	3.9	Low	Exotic
Kuro Kage XT 60	TX	67	0.335	0.606	3.6	Low	Exotic
Kuro Kage XT 70	S	71	0.335	0.602	3.5	Low	Exotic
Kuro Kage XT 70	X	73	0.335	0.606	3.4	Low	Exotic
Kuro Kage XT 70	TX	74	0.335	0.608	3.2	Low	Exotic
Kuro Kage XT 80	S	80	0.335	0.604	3.1	Low	Exotic
Kuro Kage XT 80	X	83	0.335	0.606	3.1	Low	Exotic
Kuro Kage XT 80	TX	85	0.335	0.608	3.0	Low	Exotic
Tensei CK Pro Blue 60	S	64	0.335	0.627	4.0	Mid	Exotic
Tensei CK Pro Blue 60	TX	68	0.335	0.631	3.9	Mid	Exotic
Tensei CK Pro Blue 70	S	73	0.335	0.629	3.2	Mid	Exotic
Tensei CK Pro Blue 70	TX	77	0.335	0.635	3.2	Mid	Exotic



# WOODS - CUSTOM SHAFTS

CG Launcher HB Woods

<b>Miyazaki</b>	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Kaula Kiri 5	R	54	0.335	0.600	3.8	High	No-Upcharge
Kaula Kiri 5	S	57	0.335	0.604	3.8	High	No-Upcharge
Kaula Kiri 6	R	62	0.335	0.608	3.4	High	No-Upcharge
Kaula Kiri 6	S	65	0.335	0.610	3.4	High	No-Upcharge
Kaula Kiri 6	X	66	0.335	0.616	3.4	High	No-Upcharge
Kaula Kiri 7	S	73	0.335	0.624	2.9	High	No-Upcharge
Kaula Kiri 7	X	74	0.335	0.624	2.9	High	No-Upcharge
Kaula Kiri 8	X	83	0.335	0.638	2.7	High	No-Upcharge
Kaula Mizu 5	R	54	0.335	0.598	3.8	Mid-High	No-Upcharge
Kaula Mizu 5	S	57	0.335	0.600	3.8	Mid-High	No-Upcharge
Kaula Mizu 6	R	62	0.335	0.606	3.4	Mid-High	No-Upcharge
Kaula Mizu 6	S	65	0.335	0.610	3.4	Mid-High	No-Upcharge
Kaula Mizu 6	X	66	0.335	0.612	3.4	Mid-High	No-Upcharge
Kaula Mizu 7	S	73	0.335	0.620	2.9	Mid-High	No-Upcharge
Kaula Mizu 7	X	74	0.335	0.624	2.9	Mid-High	No-Upcharge
Kaula Mizu 8	X	83	0.335	0.636	2.7	Mid-High	No-Upcharge
Kaula Mizore 5	R	54	0.335	0.593	3.8	Low-Mid	No-Upcharge
Kaula Mizore 5	S	57	0.335	0.594	3.8	Low-Mid	No-Upcharge
Kaula Mizore 6	R	62	0.335	0.600	3.4	Low-Mid	No-Upcharge
Kaula Mizore 6	S	65	0.335	0.604	3.4	Low-Mid	No-Upcharge
Kaula Mizore 6	X	66	0.335	0.606	3.4	Low-Mid	No-Upcharge
Kaula Mizore 7	S	73	0.335	0.614	2.9	Low-Mid	No-Upcharge
Kaula Mizore 7	X	74	0.335	0.618	2.9	Low-Mid	No-Upcharge
Kaula Mizore 8	X	83	0.335	0.632	2.7	Low-Mid	No-Upcharge
Kaula Kori 5	R	54	0.335	0.594	3.8	Low	No-Upcharge
Kaula Kori 5	S	57	0.335	0.598	3.8	Low	No-Upcharge
Kaula Kori 6	R	62	0.335	0.604	3.4	Low	No-Upcharge
Kaula Kori 6	S	65	0.335	0.606	3.4	Low	No-Upcharge
Kaula Kori 6	X	66	0.335	0.608	3.4	Low	No-Upcharge
Kaula Kori 7	S	73	0.335	0.618	2.9	Low	No-Upcharge
Kaula Kori 7	X	74	0.335	0.620	2.9	Low	No-Upcharge
Kaula Kori 8	X	83	0.335	0.634	2.7	Low	No-Upcharge
Jinsoku	L	47	0.335	0.600	6.5	Mid-High	No-Upcharge
Jinsoku	R	54	0.335	0.626	5.7	Mid-High	No-Upcharge
Jinsoku	S	57	0.335	0.626	5.6	Mid-High	No-Upcharge
Miyazaki CKUA 40	L	46	0.335	0.600		Mid-High	-
Miyazaki CKUA 50	A	53	0.335	0.600		Mid-High	-
Miyazaki CKUA 50	R	55	0.335	0.600		Mid-High	-
Miyazaki CKUA 50	S	57	0.335	0.600		Mid-High	-

# WOODS - CUSTOM SHAFTS


CG Launcher HB Woods

<b>Oban</b>	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Devotion 5	R	55	0.335	0.600	5.0	Mid-High	Exotic
Devotion 5	S	58	0.335	0.600	5.0	Mid-High	Exotic
Devotion 5	X	59	0.335	0.600	5.0	Mid-High	Exotic
Devotion 6	R	66	0.335	0.600	3.6	Low-Mid	Exotic
Devotion 6	S	67	0.335	0.600	3.6	Low-Mid	Exotic
Devotion 6	X	68	0.335	0.600	3.6	Low-Mid	Exotic
Isawa Red 55	R	56	0.335	0.600	4.2	Mid-High	Exotic
Isawa Red 55	S	59	0.335	0.600	4.2	Mid-High	Exotic
Isawa Red 65	S	66	0.335	0.600	3.6	Mid-High	Exotic
Isawa Red 65	X	69	0.335	0.600	3.6	Mid-High	Exotic
Kiyoshi Black 65	S	70	0.335	0.600	3.3	Low-Mid	Exotic
Kiyoshi Black 65	X	72	0.335	0.600	3.3	Low-Mid	Exotic
Kiyoshi Black 75	S	80	0.335	0.600	2.9	Mid	Exotic
Kiyoshi Black 75	X	83	0.335	0.600	2.9	Mid	Exotic
Kiyoshi Gold 65	S	68	0.335	0.600	3.3	High	Exotic
Kiyoshi Gold 65	X	68	0.335	0.600	3.3	High	Exotic
Kiyoshi Purple 55	S	58	0.335	0.600	4.0	High	Exotic
Kiyoshi Purple 65	S	69	0.335	0.600	3.5	Mid	Exotic
Kiyoshi Purple 65	X	70	0.335	0.600	3.5	Mid	Exotic
Kiyoshi Purple 75	S	79	0.335	0.600	3.1	Mid-High	Exotic
Kiyoshi Purple 75	X	81	0.335	0.600	3.1	Mid-High	Exotic
Kiyoshi White 65	S	69	0.335	0.600	3.1	Mid	Exotic
Kiyoshi White 65	X	72	0.335	0.600	3.1	Mid	Exotic
Kiyoshi White 75	S	78	0.335	0.600	2.9	Mid	Exotic
Kiyoshi White 75	X	81	0.335	0.600	2.9	Mid	Exotic
Revenge 6	S	65	0.335	0.600	3.6	Mid	Exotic
Revenge 6	X	66	0.335	0.600	3.6	Mid	Exotic
Revenge 7	S	75	0.335	0.600	3.5	Mid	Exotic
Revenge 7	X	76	0.335	0.600	3.5	Mid	Exotic

<b>Project X</b>	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
HZRDU Black 65	6.0	62	0.335	0.600	3.2	Low	Exotic
HZRDU Black 65	6.5	62	0.335	0.600	3.2	Low	Exotic
HZRDU Black 75	6.0	75	0.335	0.600	2.9	Low	Exotic
HZRDU Black 75	6.5	75	0.335	0.600	2.9	Low	Exotic
HZRDU Yellow 65	5.5	63	0.335	0.615	3.3	Low	Exotic
HZRDU Yellow 65	6.0	63	0.335	0.615	3.3	Low	Exotic
HZRDU Yellow 65	6.5	63	0.335	0.615	3.3	Low	Exotic
HZRDU Yellow 75	5.5	75	0.335	0.610	2.9	Low	Exotic
HZRDU Yellow 75	6.0	75	0.335	0.610	2.9	Low	Exotic
HZRDU Yellow 75	6.5	75	0.335	0.610	2.9	Low	Exotic

# WOODS

## Selected Wood Shaft Performance



All shafts are based on S flex.

Red = Standard Shaft

## WOODS - CUSTOM SPECIFICATIONS

Total club weight and swingweight may deviate from standard production specifications

Custom shafts are built to same length as standard clubs:

<b>Men's Clubs</b>	<b>Length</b>
CG Launcher HB Driver (All Lofts)	45.5"
CG Launcher HB Fairway (3)	43.0"
CG Launcher HB Fairway (5)	42.5"
<b>Women's Clubs</b>	<b>Length</b>
CG Launcher HB Driver (All Lofts)	44.5"
CG Launcher HB Fairway (3)	42.0"
CG Launcher HB Fairway (5)	41.5"

### Length and tip cut custom options

Custom shaft length\*: -1" to +2" by 1/4" increments

Custom tip cut\*: 1/2", 1"

\*Certain overlength and tipping combinations have limited availability.

For detailed information, please call Srixon/Cleveland Golf customer service at (800) 999-6263.

## HYBRIDS - STOCK SHAFTS

CG Launcher HB Hybrid	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---
Miyazaki CKUA 40	L	50	0.370	0.595	4.0	High
Miyazaki CKUA 60	A	55	0.370	0.600	4.0	Mid-High
Miyazaki CKUA 60	R	57	0.370	0.600	3.9	Mid-High
Miyazaki CKUA 60	S	60	0.370	0.605	3.9	Mid-High

## HYBRIDS - CUSTOM SHAFTS

CG Launcher HB

Aldila	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---
Rogue Black 85	S	88	0.370	0.615	2.8	Mid
Rogue Black 85	X	91	0.370	0.630	2.4	Mid
Tour Blue 85	S	86	0.370	0.630	2.5	Mid
Tour Blue 85	X	86	0.370	0.629	2.3	Mid
Tour Blue 85	TX	86	0.370	0.626	2.2	Mid
Tour Green 85	S	86	0.370	0.625	2.9	Low-Mid
Tour Green 85	X	86	0.370	0.625	2.7	Low-Mid
Tour Green 85	TX	86	0.370	0.625	2.6	Low-Mid

Matrix	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---
OZIK Altus Tour	S	89	0.370	0.605	3.3	Mid
OZIK Altus Tour	X	91	0.370	0.610	3.1	Mid

Mitsubishi	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---
Kuro Kage 70	A	67	0.370	0.600	4.0	Mid
Kuro Kage 70	R	70	0.370	0.603	3.8	Mid
Kuro Kage 70	S	73	0.370	0.610	3.8	Mid
Kuro Kage 70	X	73	0.370	0.610	3.8	Mid
Kuro Kage 80	R	80	0.370	0.616	3.3	Mid
Kuro Kage 80	S	82	0.370	0.616	3.2	Mid
Kuro Kage 80	X	85	0.370	0.620	3.2	Low-Mid


Miyazaki	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---
Kaula 7 Hybrid	R	71	0.370	0.602	3.4	Mid
Kaula 7 Hybrid	S	73	0.370	0.604	3.4	Mid
Kaula 7 Hybrid	X	74	0.370	0.608	3.4	Mid
Miyazaki CKUA 40	L	50	0.370	0.595		High
Miyazaki CKUA 60	A	55	0.370	0.600		Mid-High
Miyazaki CKUA 60	R	57	0.370	0.600		Mid-High
Miyazaki CKUA 60	S	60	0.370	0.605		Mid-High

Project X	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---
Hzrdus Black 85 Hyb	5.5	85	0.370	0.600	2.5	Low
Hzrdus Black 85 Hyb	6.0	85	0.370	0.600	2.5	Low
Hzrdus Black 85 Hyb	6.5	85	0.370	0.600	2.5	Low

Oban	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---
Devotion 8	S	86	0.370	0.600	2.6	Mid
Devotion 8	X	86	0.370	0.600	2.6	Mid
Kiyoshi Black 9	S	92	0.370	0.600	2.6	Mid
Kiyoshi Black 9	X	93	0.370	0.600	2.6	Mid

# HYBRIDS

## Hybrid Shaft Performance



All shafts are based on S flex.

Red = Standard Shaft

## HYBRIDS - CUSTOM SPECIFICATIONS

Total club weight and swingweight may deviate from standard production specifications

Custom shafts are built to same length as standard clubs:

<b>Men's Club</b>	<b>Length</b>
CG Launcher HB Men's Hybrid 3	40.25"
CG Launcher HB Men's Hybrid 4	39.75"
CG Launcher HB Men's Hybrid 5	39.25"

<b>Women's Club</b>	<b>Length</b>
CG Launcher HB Men's Hybrid 3	39.25"
CG Launcher HB Men's Hybrid 4	38.75"
CG Launcher HB Men's Hybrid 5	38.25"

### Length and tip cut custom options

Custom shaft length\*: -1" to

+2" by 1/4" increments

Custom tip cut\*: 1/2", 1"

\* Note: Some over length options are not available pending shaft or tipping options

## Grip Options

### Custom

		Weight (g)	Cord/Non Cord	Rib Option Available
<b>Golf Pride</b>	Tour Velvet	51	Non	Yes
	Tour Velvet Full Cord	52	Cord	Yes
	Tour Velvet Midsize	53.5	Non	No
	Tour Velvet Jumbo	61	Non	No
	2G Tour Wrap (Black, White, Red)	48	Non	No
	2G Tour Wrap Midsize (Black)	58	Non	No
	CP2 Pro (Red)	51.5	Non	No
	CP2 Wrap (Blue)	51.5	Non	No
	CP2 Wrap Midsize (Blue)	63.5	Non	No
	MCC Plus 4 (Blue, Red, Grey, Orange, Green)	52	1/2 Cord	No
	MCC Plus 4 Midsize (Grey)	66	1/2 Cord	No
	Z Cord	50	Cord	No
	New Decade Multi Compound (Wht/Blk, Blu/Blk, or Red/Blk)	46	1/2 Cord	No
	New Decade Multi Compound Midsize (Blu/Blk)	59	1/2 Cord	No

<b>Lamkin</b>	Crossline	52	Non	Yes
	Crossline Midsize	63	Non	No
	Crossline Tour (Blk, Red)	50	Non	No
	Dual Density	52	Non	No
	Performance Plus Full Cord	54	Cord	No
	REL ACE 3 Gen (Blu, Blk, Gry, Red, Org, Wht, Lt Blu)	52	Non	No
	REL ACE 3 Gen Undersized (Pink, Purple)	44	Non	No
	UTX (Black, Blue, Red)	52	Cord	No
	UTx Midsize (Red)	65.5	Cord	No
	Z5 (Black, Blue, Red)	50	1/2 Cord	No
	Z5 Midsize (Black)	60	1/2 Cord	No

<b>Winn</b>	Dri-Tac	48	Non	No
	Dri-Tac Midsize	49	Non	No
	Excel (Black)	42	Non	No
	Excel Midsize (Black)	43	Non	No
	Excel Oversize (Black)	47	Non	No
	Pro Wrap	52	Non	No

<b>Putter</b>	WinnPro X Putter 1.60 (BLK)	98
	WinnPro X Putter 1.32 (BLK, WHT)	67
	WinnPro X Putter 1.18 (BLK)	54
	IOMIC (Blk, Blu, Grn, Org, Pnk, Red, LtBlu, Wht, Ylw)	55
	IOMIC Midsized (Blk, Blu, Grn, Org, Pnk, Red, LtBlu)	65
	Rosemark Thorn 1.52" (Blk, Blu)	54

