

2018-2019

CLEVELAND GOLF

CUSTOM CATALOG

TABLE OF CONTENTS

Wedge Specific	PAGE 2
Irons & Wedges	PAGE 3
Woods	PAGE 7
Hybrids	PAGE 11
GRIPS	PAGE 13

WEDGE - STOCK SHAFTS

RTX4, CBX, and Smart Sole 3 Wedges

RTX 4		Flex	Weight (grams)	TIP OD	BUTT OD	Trajectory	Availability
True Temper	Dynamic Gold Tour Issue	S400	132	0.355	0.600	Low	Stock
CBX		Flex	Weight (grams)	TIP OD	BUTT OD	Trajectory	Availability
True Temper	Dynamic Gold 115	S300	115	0.355	0.600	Mid-Low	Stock
UST	Rotex Graphite	Wedge	90	0.355	0.600	Mid	Stock
Cleveland Golf	Women's CBX	L	59	0.355	0.590	High	Stock

WEDGE - AT ONCE CUSTOM SHAFTS

RTX4, CBX, and Smart Sole 3 Wedges

		Flex	Weight (grams)	TIP OD	BUTT OD	Trajectory	Availability
Nippon	NS Pro Modus3 Wdg 105	Wedge	111	0.355	0.600	Mid	At Once
	NS Pro Modus3 Wdg 115	Wedge	122	0.355	0.600	Mid	At Once
	NS Pro Modus3 Wdg 125	Wedge	133	0.355	0.600	Mid	At Once

KBS	Hi Rev 2.0	R	115	0.355	0.600	Mid	At Once
	Hi Rev 2.0	S	125	0.355	0.600	Mid	At Once
	610	R	110	0.355	0.610	Low-Mid	At Once
	610	S	120	0.355	0.610	Low-Mid	At Once
	610	S+	125	0.355	0.610	Low-Mid	At Once
	Tour	S	120	0.355	0.600	Mid	At Once
	Tour	X	130	0.355	0.600	Mid	At Once
	Tour Custom White	S	120	0.355	0.600	Mid	At Once
	Tour Custom Black	S	120	0.355	0.600	Mid	At Once

UST	Rotex Graphite	Wedge	90	0.355	0.600	Mid	At Once
	Recoil 95 F3	R	96	0.355	0.600	Mid	At Once
	Recoil 95 F4	S	96	0.355	0.600	Mid	At Once
	Recoil 95 F5	X	96	0.355	0.600	Mid	At Once

True Temper	Dynamic Gold Tour Issue	S400	132	0.355	0.600	Low	At Once
	Dynamic Gold Tour Issue	X100	130	0.355	0.600	Low	At Once
	Dynamic Gold Tour Issue Onyx	S400	132	0.355	0.600	Low	At Once
	Dynamic Gold Tour Issue Onyx	X100	130	0.355	0.600	Low	At Once
	Dynamic Gold 115	S300	115	0.355	0.600	Mid-Low	At Once

WEDGE - EXOTIC CUSTOM SHAFTS

RTX4, CBX, and Smart Sole 3 Wedges

		Flex	Weight (grams)	TIP OD	BUTT OD	Trajectory	Availability
KBS	Tour	R	110	0.355	0.600	Mid	Exotic - Special Order
	Tour V	Wedge	125	0.355	0.600	Low-Mid	Exotic - Special Order
UST	Recoil 110	S	111	0.355	0.600	Mid	Exotic - Special Order

*See Iron & Wedge Shafts for complete list of available customs

IRONS - STOCK SHAFTS

(All Taper Tip)

Launcher CBX and Launcher HB Iron Sets

Launcher CBX & Launcher HB Irons	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
units	---	g	in	in	deg	---	---
Dynamic Gold DST98	R300	95	0.355	0.600	3.1	Mid-High	At Once
Dynamic Gold DST98	S300	99	0.355	0.600	2.8	Mid-High	At Once
Miyazaki CKUA 4L Graphite*	L	47	0.362	0.600	N/A	High	At Once
Miyazaki CKUA 6A Graphite*	A	58.5	0.362	0.600	N/A	High	At Once
Miyazaki CKUA 6R Graphite*	R	61	0.362	0.600	N/A	High	At Once
Miyazaki CKUA 6S Graphite*	S	63.5	0.362	0.600	N/A	High	At Once

IRONS - AT ONCE CUSTOM SHAFTS

(All Taper Tip)

Launcher CBX and Launcher HB Iron Sets

Aerotech	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
units	---	g	in	in	deg	---	---
SteelFiber i95	S	95	0.355	0.602	2.0-2.4	Low-Mid	At Once

Nippon	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
units	---	g	in	in	deg	---	---
NS Pro Modus3 105	R	103	0.355	0.600	1.9	Mid	At Once
NS Pro Modus3 105	S	105	0.355	0.600	1.7	Mid	At Once
NS Pro Modus3 105	X	112	0.355	0.600	1.6	Mid	At Once
NS Pro Modus3 120	S	114	0.355	0.600	1.7	Mid-Low	At Once
NS Pro Modus3 120	X	120	0.355	0.600	1.6	Mid-Low	At Once

KBS	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
units	---	g	in	in	deg	---	---
C-Taper	S	120	0.355	0.600	1.9	Low	At Once
C-Taper	X	130	0.355	0.600	1.8	Low	At Once
C-Taper Lite	S	110	0.355	0.600	2.1	Mid-High	At Once
C-Taper Lite	X	115	0.355	0.600	2.0	Mid-High	At Once
Tour	S	120	0.355	0.600	1.6-2.0	Mid	At Once
Tour	X	130	0.355	0.600	1.6-2.0	Mid	At Once
Tour 90	S	102	0.355	0.600	2.3	Mid-High	At Once
KBS 560 (Junior Shafts)	R	80g-89g	0.355	0.560	n/a	Mid-High	At Once
KBS 580 (Junior Shafts)	R	80g-88g	0.355	0.580	n/a	Mid-High	At Once
KBS 580 (Junior Shafts)	S	80g-89g	0.355	0.580	n/a	Mid-High	At Once

Miyazaki	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
units	---	g	in	in	deg	---	---
Miyazaki CKUA 4L Graphite*	L	47	0.362	0.600	N/A	High	At Once
Miyazaki CKUA 6A Graphite*	A	58.5	0.362	0.600	N/A	High	At Once
Miyazaki CKUA 6R Graphite*	R	61	0.362	0.600	N/A	High	At Once
Miyazaki CKUA 6S Graphite*	S	63.5	0.362	0.600	N/A	High	At Once

Project X	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
units	---	g	in	in	deg	---	---
Project X	5.5	115	0.355	0.600	1.6-1.8	Low	At Once
Project X	6.0	120	0.355	0.600	1.6-1.8	Low	At Once
Project X	6.5	125	0.355	0.600	1.6-1.8	Low	At Once
Project X LZ	5.5	115	0.355	0.600	n/a	Mid	At Once
Project X LZ	6.0	120	0.355	0.600	n/a	Mid	At Once
Project X LZ	6.5	125	0.355	0.600	n/a	Mid	At Once

True Temper	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
units	---	g	in	in	deg	---	---
Dynamic Gold	S300	130	0.355	0.600	1.5-1.9	Low	At Once
Dynamic Gold Tour Issue	S400	132	0.355	0.600	1.5-1.9	Low	At Once
Dynamic Gold Tour Issue	X100	130	0.355	0.600	1.5-1.9	Low	At Once
True Temper AMT Tour White	S300	106-130	0.355	0.600	N/A	Low	At Once
True Temper AMT Tour White	X100	106-130	0.355	0.600	N/A	Low	At Once
Dynamic Gold 105	R300	101	0.355	0.600	1.5-1.9	Low-Mid	At Once
Dynamic Gold 105	S300	103	0.355	0.600	1.5-1.9	Low-Mid	At Once
Dynamic Gold 120	S300	118	0.355	0.600	1.5-1.9	Low	At Once
Dynamic Gold 120	X100	120	0.355	0.600	1.5-1.9	Low	At Once
Dynamic Gold DST98	R300	95	0.355	0.600	3.1	Mid-High	At Once
Dynamic Gold DST98	S300	99	0.355	0.600	2.8	Mid-High	At Once

UST Mamiya	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
units	---	g	in	in	deg	---	---
UST Recoil 95	F4 - (S)	91	0.355	0.600	3.9	Mid	At Once
Recoil 760 ES SmacWrap	F3 - (R)	69	0.355	0.600	4.1	Mid-High	At Once
Recoil 780 ES SmacWrap	F4 - (S)	86	0.355	0.600	3.5	Mid-High	At Once

IRONS - EXOTIC CUSTOM SHAFTS

(All Taper Tip)

Launcher CBX and Launcher HB Iron Sets

*All Exotic shafts have a 2 week leadtime.

Aerotech	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
SteelFiber i70	R	74	0.355	0.600	3.0	Mid-High	Exotic - Special order
SteelFiber i70	S	74	0.355	0.600	3.3	Mid-High	Exotic - Special order
SteelFiber i80	R	85	0.355	0.600	2.5-2.9	Mid	Exotic - Special order
SteelFiber i80	S	85	0.355	0.600	2.5-2.9	Mid	Exotic - Special order
SteelFiber i95	R	95	0.355	0.602	2.1-2.5	Mid	Exotic - Special order
SteelFiber i95	X	95	0.355	0.602	1.8-2.3	Low-Mid	Exotic - Special order
SteelFiber i110	S	110	0.355	0.605	1.5-1.9	Low-Mid	Exotic - Special order
SteelFiber i110	X	110	0.355	0.605	1.5-1.9	Low-Mid	Exotic - Special order

Nippon	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
NS Pro Modus3 125	S	129	0.355	0.600	1.7	Low	Exotic - Special order
NS Pro Modus3 125	X	130	0.355	0.600	1.4	Low	Exotic - Special order
NS Pro Modus3 130	S	124	0.355	0.600	1.2-1.7	Mid	Exotic - Special order
NS Pro Modus3 130	X	129	0.355	0.600	1.2-1.6	Mid	Exotic - Special order
NS Pro 950GH	R	95	0.355	0.610	1.8-2.3	Mid	Exotic - Special order
NS Pro 950GH	S	98	0.355	0.610	1.6-2.0	Mid	Exotic - Special order

KBS	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
C-Taper Lite	R	105	0.355	0.600	2.2	Mid-High	Exotic - Special order
S Taper Chrome	R	110	0.355	0.600	2.0	Mid	Exotic - Special order
S Taper Chrome	S	120	0.355	0.600	1.9	Mid	Exotic - Special order
S Taper Chrome	X	130	0.355	0.600	1.8	Mid	Exotic - Special order
Tour	R	110	0.355	0.600	1.6-2.0	Mid	Exotic - Special order
Tour 90	R	95	0.355	0.600	2.5	Mid-High	Exotic - Special order
Tour-V	R	100	0.355	0.600	2.1	Mid	Exotic - Special order
Tour-V	S	110	0.355	0.600	2.0	Mid	Exotic - Special order
Tour-V	X	120	0.355	0.600	1.9	Mid	Exotic - Special order
Tour FLT	R	110	0.355	0.600	n/a	Mid	Exotic - Special order
Tour FLT	S	120	0.355	0.600	n/a	Mid	Exotic - Special order
Tour FLT	X	130	0.355	0.600	n/a	Mid	Exotic - Special order

Project X	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Project X	5.0	115	0.355	0.600	1.6-1.8	Low	Exotic - Special order
Project X	7.0	130	0.355	0.600	1.6-1.8	Low	Exotic - Special order


True Temper	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Dynamic Gold	R300	127	0.355	0.600	1.5-1.9	Low	Exotic - Special order
Dynamic Gold SL	R300	104	0.355	0.600	2.0-2.2	Low	Exotic - Special order
Dynamic Gold SL	S300	106	0.355	0.600	2.0-2.2	Low	Exotic - Special order
True Temper AMT Black	R300	94-115	0.355	0.600	N/A	Mid/High	Exotic - Special order
True Temper AMT Black	S300	95-116	0.355	0.600	N/A	Mid/High	Exotic - Special order
Dynamic Gold 120	R300	116	0.355	0.600	1.5-1.9	Low	Exotic - Special order
XP 95	R300	93	0.355	0.600	2.2	High	Exotic - Special order
XP 95	S300	95	0.355	0.600	2.0	High	Exotic - Special order

UST Mamiya	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
UST Recoil 95	F3 - (R)	91	0.355	0.600	3.9	Mid	Exotic - Special order
UST Recoil 95	F5 - (X)	91	0.355	0.600	3.9	Mid	Exotic - Special order
Recoil 760 ES	F3 - (R)	68	0.355	0.600	4.1	Mid-High	Exotic - Special Order
Recoil 780 ES	F4 - (S)	86	0.355	0.600	3.5	Mid	Exotic - Special Order
Recoil 780 ES	F5 - (X)	89	0.355	0.600	3.5	Mid	Exotic - Special Order

*Not available in wedges

IRONS

Iron Shaft Performance



All shafts are S flex.
 Red = Standard Shaft

IRONS - CUSTOM SPECIFICATIONS

CG Launcher Irons

Steel	4	5	6	7	8	9	P	D	S
Launcher CBX Irons Sets	38.875	38.25	37.625	37	36.5	36	35.75	35.5	N/A
Launcher HB Iron Sets	38.875	38.25	37.625	37	36.5	36	35.75	35.5	35.5

Custom build lengths are the same as standard build lengths. Swingweights may vary depending on the custom shaft used.

Important Information: CG Launcher Irons

The CG Launcher CBX and CG Launcher HB Iron Sets were developed with the following standard steel shaft specifications (inches):

	4	5	6	7	8	9	P	D	S
Uncut Shaft Length	38.5	38.0	37.5	37.0	36.5	36.0	35.5	35.5	35.5

This shaft configuration is designed to maximize performance for the CG Launcher CBX and CG Launcher HB Iron Sets. Strong-stepped and "double" strong-stepped custom configurations are also available for these shafts. For all custom iron shafts, traditional soft-stepping and strong-stepping custom configurations are available. Please contact Srixon/Cleveland Golf customer service at (800) 999-6263 if you have any questions.

Loft and Lie Bending

Lie Angle Range (All Irons)	-2° thru +2° 1° increments
Loft Range	2° Strong thru 2° Weak 1° increments

Length

Steel:	-1" thru +1/2", or Uncut 1/4" increments
Graphite:	-1" thru +1/2", or Uncut 1/4" increments

Note: Some over length options are not available pending shaft or tipping options

WOODS - STOCK SHAFTS

Launcher HB Woods

CG Launcher HB Driver & Fairway	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Miyazaki CKUA 40	L	46	0.335	0.600	5.2	Mid-High	At Once
Miyazaki CKUA 50	A	53	0.335	0.600	5.0	Mid-High	At Once
Miyazaki CKUA 50	R	55	0.335	0.600	5.0	Mid-High	At Once
Miyazaki CKUA 50	S	57	0.335	0.600	4.9	Mid-High	At Once

WOODS - AT ONCE CUSTOM SHAFTS

Launcher HB Woods

Fujikura	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Atmos Tour Spec 6 Black	S	65	0.335	0.605	3.4	Low	At Once
Atmos Tour Spec 6 Black	X	69	0.335	0.610	3.4	Low	At Once

Mitsubishi	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Tensei CK Pro Blue 60	S	64	0.335	0.627	4.0	Mid	At Once
Tensei CK Pro Blue 60	TX	68	0.335	0.631	3.9	Mid	At Once
Tensei CK Pro Orange 70	S	72	0.335	0.608	2.9	Low	At Once
Tensei CK Pro Orange 70	TX	73	0.335	0.610	2.6	Low	At Once

Miyazaki	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Kaula Mizu 6	R	62	0.335	0.606	3.4	Mid-High	At Once
Kaula Mizu 6	S	65	0.335	0.610	3.4	Mid-High	At Once
Kaula Mizu 6	X	66	0.335	0.612	3.4	Mid-High	At Once

Project X	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
HZRDU Handcrafted Black 65	5.5	62	0.335	0.600	3.2	Low	At Once
HZRDU Handcrafted Black 65	6.0	62	0.335	0.600	3.2	Low	At Once
HZRDU Handcrafted Black 65	6.5	62	0.335	0.600	3.2	Low	At Once
HZRDU Handcrafted Black 75	6.0	75	0.335	0.600	2.9	Low	At Once
HZRDU Handcrafted Black 75	6.5	75	0.335	0.600	2.9	Low	At Once
HZRDU Handcrafted Yellow 65	5.5	63	0.335	0.615	3.3	Low	At Once
HZRDU Handcrafted Yellow 65	6.0	63	0.335	0.615	3.3	Low	At Once
HZRDU Handcrafted Yellow 65	6.5	63	0.335	0.615	3.3	Low	At Once
HZRDU Handcrafted Yellow 75	5.5	75	0.335	0.610	2.9	Low	At Once
HZRDU Handcrafted Yellow 75	6.0	75	0.335	0.610	2.9	Low	At Once
HZRDU Handcrafted Yellow 75	6.5	75	0.335	0.610	2.9	Low	At Once
HZRDU Handcrafted Red 65	5.5	62	0.335	0.600	3.2	Mid	At Once
HZRDU Handcrafted Red 65	6.0	62	0.335	0.600	3.2	Mid	At Once
HZRDU Handcrafted Red 65	6.5	62	0.335	0.600	3.2	Mid	At Once
EvenFlow Handcrafted Blue 65	6.0	67	0.335	0.625	3.7	Mid	At Once
EvenFlow Handcrafted Blue 65	6.5	69	0.335	0.625	3.2	Mid	At Once

UST Mamiya	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
UST Mamiya Helium 4	F2 - (A)	49	0.335	0.600	6.3	High	At Once
UST Mamiya Helium 4	F3 - (R)	49	0.335	0.600	6.2	High	At Once
UST Mamiya Helium 4	F4 - (S)	49	0.335	0.600	6.1	High	At Once

WOODS - EXOTIC CUSTOM SHAFTS

Launcher HB Woods

*All Exotic shafts have a 2 week leadtime.

Aldila	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
RIP 60 Alpha	S	62	0.335	0.615	3.1	Low-Mid	Exotic - Special order
Rogue I/O 60	S	64	0.335	0.637	3.8	Low-Mid	Exotic - Special order
Rogue Silver 60	S	69	0.335	0.635	3.4	Low-Mid	Exotic - Special order
Rogue Silver 60	X	72	0.335	0.635	3.1	Low-Mid	Exotic - Special order
Rogue Silver 70	S	77	0.335	0.640	3.1	Low-Mid	Exotic - Special order
Rogue Silver 70	X	78	0.335	0.645	2.8	Low-Mid	Exotic - Special order
Rogue Black 60	S	68	0.335	0.640	3.6	Mid	Exotic - Special order
Rogue Black 60	X	70	0.335	0.645	3.3	Mid	Exotic - Special order
Rogue Black 70	S	74	0.335	0.640	3.3	Mid	Exotic - Special order
Rogue Black 70	X	75	0.335	0.645	3.0	Mid	Exotic - Special order
Rogue Black 80	S	85	0.335	0.640	2.8	Mid	Exotic - Special order
Rogue Black 80	X	86	0.335	0.640	2.6	Mid	Exotic - Special order

Fujikura	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Atmos Tour Spec 6 Red	S	67	0.335	0.605	3.5	Mid-High	Exotic - Special order
Atmos Tour Spec 6 Red	X	69	0.335	0.605	3.5	Mid-High	Exotic - Special order
Atmos Tour Spec 6 Blue	S	64	0.335	0.610	3.5	Mid	Exotic - Special order
Atmos Tour Spec 6 Blue	X	65	0.335	0.610	3.5	Mid	Exotic - Special order
Atmos Tour Spec 7 Blue	S	74	0.335	0.615	3.1	Mid	Exotic - Special order
Atmos Tour Spec 7 Blue	X	77	0.335	0.615	3.1	Mid	Exotic - Special order
Atmos Tour Spec 7 Black	X	76	0.335	0.615	3.0	Low	Exotic - Special order
Atmos Tour Spec 8 Black	TX	85	0.335	0.615	2.7	Low	Exotic - Special order
Speeder Evolution IV 757	S	77	0.335	0.605	2.7	Mid-High	Exotic - Special order
Speeder Evolution IV 757	X	78.5	0.335	0.610	2.7	Mid-High	Exotic - Special order
Speeder Evolution IV 661	S	67	0.335	0.605	3.3	Mid-High	Exotic - Special order
Speeder Evolution IV 661	X	68.5	0.335	0.605	3.2	Mid-High	Exotic - Special order
Speeder Evolution IV 569	R	56	0.335	0.600	3.9	Mid-High	Exotic - Special order
Speeder Evolution IV 569	S	59	0.335	0.600	3.8	Mid-High	Exotic - Special order

Graphite Design	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Tour AD DI-6	SR	64	0.335	0.595	3.2	Mid	Exotic - Special order
Tour AD DI-6	S	68	0.335	0.605	3.1	Mid	Exotic - Special order
Tour AD DI-6	X	69	0.335	0.605	3.1	Mid	Exotic - Special order

Mitsubishi	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Tensei CK Pro Blue 70	S	73	0.335	0.629	3.2	Mid	Exotic - Special order
Tensei CK Pro Blue 70	TX	77	0.335	0.635	3.2	Mid	Exotic - Special order


Miyazaki	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
Kaula Kiri 5	R	54	0.335	0.600	3.8	High	Exotic - Special order
Kaula Kiri 8	X	83	0.335	0.638	2.7	High	Exotic - Special order
Kaula Mizu 5	R	54	0.335	0.598	3.8	Mid-High	Exotic - Special order
Kaula Mizu 5	S	57	0.335	0.600	3.8	Mid-High	Exotic - Special order
Kaula Mizu 7	S	73	0.335	0.620	2.9	Mid-High	Exotic - Special order
Kaula Mizu 7	X	74	0.335	0.624	2.9	Mid-High	Exotic - Special order
Kaula Mizore 5	R	54	0.335	0.593	3.8	Low-Mid	Exotic - Special order
Kaula Mizore 5	S	57	0.335	0.594	3.8	Low-Mid	Exotic - Special order
Kaula Mizore 6	R	62	0.335	0.600	3.4	Low-Mid	Exotic - Special order
Kaula Mizore 6	S	65	0.335	0.604	3.4	Low-Mid	Exotic - Special order
Kaula Mizore 6	X	66	0.335	0.606	3.4	Low-Mid	Exotic - Special order
Kaula Mizore 7	S	73	0.335	0.614	2.9	Low-Mid	Exotic - Special order
Kaula Mizore 7	X	74	0.335	0.618	2.9	Low-Mid	Exotic - Special order
Kaula Mizore 8	X	83	0.335	0.632	2.7	Low-Mid	Exotic - Special order
Kaula Kori 5	R	54	0.335	0.594	3.8	Low	Exotic - Special order
Kaula Kori 5	S	57	0.335	0.598	3.8	Low	Exotic - Special order
Kaula Kori 6	S	65	0.335	0.606	3.4	Low	Exotic - Special order
Kaula Kori 7	S	73	0.335	0.618	2.9	Low	Exotic - Special order
Kaula Kori 7	X	74	0.335	0.620	2.9	Low	Exotic - Special order
Kaula Kori 8	X	83	0.335	0.634	2.7	Low	Exotic - Special order

Project X	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	---
HZRDU Handcrafted Red 75	5.5	75	0.335	0.600	2.9	Mid	Exotic - Special order
HZRDU Handcrafted Red 75	6.0	75	0.335	0.600	2.9	Mid	Exotic - Special order

HZRDUS Handcrafted Red 75	6.5	75	0.335	0.600	2.9	Mid	Exotic - Special order
EvenFlow Handcrafted Blue 65	5.5	65	0.335	0.625	4.6	Mid	Exotic - Special order
EvenFlow Handcrafted Blue 75	5.5	76	0.335	0.625	4.3	Mid	Exotic - Special order
EvenFlow Handcrafted Blue 75	6.0	78	0.335	0.625	3.5	Mid	Exotic - Special order
EvenFlow Handcrafted Blue 75	6.5	79	0.335	0.625	2.8	Mid	Exotic - Special order

WOODS

Selected Wood Shaft Performance



All shafts are based on S flex.

Red = Standard Shaft

WOODS - CUSTOM SPECIFICATIONS

Total club weight and swingweight may deviate from standard production specifications

Custom shafts are built to same length as standard clubs:

Men's Clubs	Length
CG Launcher HB Driver (All Lofts)	45.5"
CG Launcher HB Fairway (3)	43.0"
CG Launcher HB Fairway (5)	42.5"
Women's Clubs	Length
CG Launcher HB Driver (All Lofts)	44.5"
CG Launcher HB Fairway (3)	42.0"
CG Launcher HB Fairway (5)	41.5"

Length and tip cut custom options

Custom shaft length*: -1" to +2" by 1/4" increments

Custom tip cut*: 1/2", 1"

*Certain overlength and tipping combinations have limited availability.

For detailed information, please call Srixon/Cleveland Golf customer service at (800) 999-6263.

HYBRIDS - STOCK SHAFTS

Launcher HB Hybrid

CG Launcher HB Hybrid	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	
Miyazaki CKUA 40	L	50	0.370	0.595	4.0	High	At Once
Miyazaki CKUA 60	A	55	0.370	0.600	4.0	Mid-High	At Once
Miyazaki CKUA 60	R	57	0.370	0.600	3.9	Mid-High	At Once
Miyazaki CKUA 60	S	60	0.370	0.605	3.9	Mid-High	At Once

HYBRIDS - EXOTIC CUSTOM SHAFTS

Launcher HB Hybrid


*All Exotic shafts have a 2 week leadtime.

Aldila	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	
Rogue Black 85	S	88	0.370	0.615	2.8	Mid	Exotic - Special order
Rogue Black 85	X	91	0.370	0.630	2.4	Mid	Exotic - Special order
Tour Blue 85	S	86	0.370	0.630	2.5	Mid	Exotic - Special order
Tour Blue 85	X	86	0.370	0.629	2.3	Mid	Exotic - Special order
Tour Blue 85	TX	86	0.370	0.626	2.2	Mid	Exotic - Special order
Tour Green 85	S	86	0.370	0.625	2.9	Low-Mid	Exotic - Special order
Tour Green 85	X	86	0.370	0.625	2.7	Low-Mid	Exotic - Special order
Tour Green 85	TX	86	0.370	0.625	2.6	Low-Mid	Exotic - Special order

Project X	TRADITIONAL FLEX	RAW WEIGHT	TIP OD	BUTT OD	TORQUE	TRAJECTORY	Availability
<i>units</i>	---	<i>g</i>	<i>in</i>	<i>in</i>	<i>deg</i>	---	
Hzrdus Handcrafted Black 85 Hyb	5.5	85	0.370	0.600	2.5	Low	Exotic - Special Order
Hzrdus Handcrafted Black 85 Hyb	6.0	85	0.370	0.600	2.5	Low	Exotic - Special Order
Hzrdus Handcrafted Black 85 Hyb	6.5	85	0.370	0.600	2.5	Low	Exotic - Special Order

HYBRIDS

Hybrid Shaft Performance



All shafts are based on S flex.

Red = Standard Shaft

HYBRIDS - CUSTOM SPECIFICATIONS

Total club weight and swingweight may deviate from standard production specifications

Custom shafts are built to same length as standard clubs:

Men's Club	Length
CG Launcher HB Men's Hybrid 3	40.25"
CG Launcher HB Men's Hybrid 4	39.75"
CG Launcher HB Men's Hybrid 5	39.25"

Women's Club	Length
CG Launcher HB Men's Hybrid 3	39.25"
CG Launcher HB Men's Hybrid 4	38.75"
CG Launcher HB Men's Hybrid 5	38.25"

Length and tip cut custom options

Custom shaft length*: -1" to

+2" by 1/4" increments

Custom tip cut*: 1/2", 1"

* Note: Some over length options are not available pending shaft or tipping options

GRIPS - ALL CLUBS

Cleveland Golf Woods, Irons, Wedges, and Putter Grips

Standard Grip Options	WEIGHT (g)	Products
Golf Pride Tour Velvet	51	RTX 4
Lamkin Blue Cap	49	CBX Wedge, CBX Irons, HB Irons, HB Woods
Huntington Beach Blue	85	Huntington Beach
TFI Satin Pistol	85	2135 Satin
Cleveland Oversized	63	2135 Satin
Cleveland Oversized CB	148	2135 Satin

Golf Pride Custom Grips	WEIGHT (g)	CORD / NON-CORD	RIB OPTION AVAILABLE
Tour Velvet	51	Non	Yes
Tour Velvet Full Cord	52	Cord	Yes
Tour Velvet Midsize	53.5	Non	No
Tour Velvet Jumbo	61	Non	No
2G Tour Wrap (Black, White, Red)	48	Non	No
2G Tour Wrap Midsize (Black)	58	Non	No
CP2 Pro (Red)	51.5	Non	No
CP2 Wrap (Blue)	51.5	Non	No
CP2 Wrap Midsize (Blue)	63.5	Non	No
MCC Plus 4 (Blue, Red, Grey, Orange, Green)	52	1/2 Cord	No
MCC Plus 4 Midsize (Grey)	66	1/2 Cord	No
New Decade Multi Compound (Wht/Blk, Blu/Blk, or Red/Blk)	46	1/2 Cord	No
New Decade Multi Compound Midsize (Blu/Blk)	59	1/2 Cord	No
Z-Cord	50.5	Cord	No
MCC Align Blk/Wht	51	1/2 Cord	Yes
MCC Plus 4 Align Gry	52	1/2 Cord	Yes

Lamkin Custom Grips	WEIGHT (g)	CORD / NON-CORD	RIB OPTION AVAILABLE
Crossline	52	Non	Yes
Crossline Midsize	63	Non	No
Crossline Tour (Blk, Red)	50	Non	No
UTx (Black, Blue, Red)	52	Cord	No
UTx Midsize* (Red)	65.5	Cord	No
UTx Wrap (Black, Blue, Red)	52	Cord	No

Winn Custom Grips	WEIGHT (g)	CORD / NON-CORD	RIB OPTION AVAILABLE
Dri-Tac	48	Non	No
Dri-Tac Midsize	49	Non	No
Excel (Black)	42	Non	No
Excel Midsize (Black)	43	Non	No
Excel Oversize (Black)	47	Non	No
Pro Wrap	52	Non	No

All grips available: Std, +1 wrap (+1/64"), +2 wraps, +3 wraps

Putter Grips	WEIGHT (g)
WinnPro X Putter 1.60 (BLK)	98
WinnPro X Putter 1.32 (BLK, WHT)	67
WinnPro X Putter 1.18 (BLK)	54
IOMIC (Blk, Blu, Grn, Org, Pnk, Red, LtBlu, Wht, Ylw)	55
IOMIC Midsize (Blk, Blu, Grn, Org, Pnk, Red, LtBlu, Wht, Ylw)	65
Rosemark Thorn 1.52" (Blk, Blu)	54

